Historic, Archive Document


Do not assume content reflects current scientific knowledge, policies, or practices.



62.09

(1950)

★ JAN 3 1 1950



Dependable Seeds

CAMPBELL SEED STORE 137 W. Colorado St. PASADENA 1, CALIFORNIA



FREESIA New colors and old-fashioned fragrance. The bulbs increase rapidly as a dividend. Pkt. 25c.



TIGRIDIA (Mexican Shell Flower) A rare and striking flower, in a blend of white, lavender, yellow, pink, and red shades. Pkt. 25c.










ALSTROEMERIA (Peruvian Lily) A splendid cut flower. The plant forms bulbs which may be dug and replanted each year. Pkt. 25c.



TRITOMA (Red Hot Poker) Pfitzer's Hybrids bloom the first season if sown in March. Pkt.



GIANT HYBRID AMARYLLIS A huge exotic lily, hardy for potting or garden. Seeds 5c each, 25 for \$1.00.

SPECIALTIES FOR 1950

PETUNIA FIRE CHIEF

The first All American Gold Medal Winner in 11 years. Fire Chief brings an entirely new color into the Petunia group, a brilliant signal red. It is dwarf, compact, and very uniform in color, with an extra long blooming season. Pkt. 25c.

PALM SPRINGS DAISY

This golden yellow Daisy-like flower, in the dry heat of Palm Springs, grows well in New York, too. It makes a sunny mound of bloom 30 inches high.

LITTLE GIANT ASTER

Here is a distinctive new early Aster type. It comes in three lovely colors, White Mound, Rosamond, rose pink, and Azure Fairy, lavender blue. The 12-inch plant is shaped like a miniature Christmas tree, and covered with feathery, double bloom. Pkt. 25c.

PRINCESS MARGARET ASTER

A spirited addition to the Princess Aster family. Its bright, rich rose will highlight any home or garden. Pkt. 25c.

EVERLASTING BACHELOR BUTTON

A royal blue Gomphrena of desirable dwarf habit. Splendid as a pot and edging plant as well as an everlasting cut flower. Pkt. 25c.

SKYSCRAPER SNAPDRAGON

A new taller, more erect and sturdier growing snapdragon with the longest flower spike yet. Three to seven strong stems rise from the main stalk close to the ground, becoming almost as tall. It is a blend of glorious colors from primrose yellow to glowing rose. Pkt. 25c.

STREPTOCARPUS


This exotic pot plant is again coming to us from Europe. The Giant flowered mixture contains an abundance of rich colors and markings. Culture is like that for its cousin, the Gloxinia. Pkt. 50c.

AFRICAN VIOLET


The deep violet blue Saintpaulia is a favorite pot plant. This fine strain is grown by a European specialist. Growing instructions are sent with the seed. Pkt. 50c.

BUTTERFLY HYBRID PANSY

This newest Pansy development, in unusual apricot, terra cotta, light blue, and rosy orchid tones, has butterfly markings on the ruffled petals. It has achieved immediate popularity. Pkt. 50c.



ASTER, LITTLE GIANT



PETUNIA, FIRE CHIEF

Campbell's Simplified Planting Chart for Flowers

Agarban March-Aug Flot All Year 112 ft. Helichrysum Pob. May Pob. April-Sept. Apresism March-Aug March-May March	NAME	Sow	Where	Bloom	Height	NAME	Sow	Where	Bloom	Height
Page and Page Pag	Acroclinium	NovMarch	Open	April-July	1½ ft.	Helianthus	DecApril			4-10 ft.
March-Sept. Flat June-2uly 2 ft. Houcher's Feb.Aug.	gathea	March-Aug.		All Year		Helichrysum			-	3 ft.
Juyasam Sweet March-June Open All Year 6 in Hollyhock Peb. Aug. P-O June-Sept. June-Sept. March-June Peb. April P-O June-Sept. March-June Peb. April P-O June-Sept. March-June Peb. June March-June Peb. June Peb. J	geratum	FebAug.	Flat							3 ft.
	-			-						132 ft.
	_					-				5 ft. 2 ft.
						Hunnemannia	NovApril	F-O	June-Sept.	211.
December										4 04
										1 ft
March-May Pat March-May						Impatiens	March-June	Flat	JuneOct.	1½ ft
May-Nov. April-1.4 May-July 3.ft. April-1.4 May-Nov. April-1.4 April-1.4 May-Nov. April-1.4 April-				Ian - July						
riebis Anytime Plat Sulv-Sept. 20 ft. Lakepur SeptMarch Dopen April-July June-Aug. 20 ft. Lakepur SeptMarch Dopen April-July Plat SeptApril Sept. 20 ft. Lakepur SeptMarch Dopen April-July Sept. 20 ft. Lakepur SeptMarch Dopen SeptMar		-				Kochia	JanJune	Open	Foliage	2-3 ft
Peb-June	_	, ,								
See Feb June Flat Spt See Feb Spt Sp		-				Lantana	JanApril	Flat	May-Nov.	1-5 ft
tier, Per Feb. June Flat SeptNov. 2 ft. Larkspur SeptMarch Dan. May Flat FebApril 5 ft. Lavender SeptMarch Dan. May Flat FebApril 5 ft. Lavender SeptMarch Dan. May Flat SeptApril 5 ft. Lavender SeptMarch Dan. March-July dependent Den. March-July Gen. March-July Gen. March-July Gen. JanMay Glass All Year Gen. Lebella JanMay Glass All Year Gen. Lebella JanMay Glass All Year Gen. JanMay Glass All Year JanMay Glass Jan						Lathyrus	NovMay			
Sept. April Apri						_				3-5 ft
Jume Sept March Jume Sept Agri Open Agri Agr	bretia	JanMay		~	6 in.					2 ft
					444.04			-		1½ ft
Segonia JanMay Glass All Year 6 in. Lobelia JanMay Flat JanMay CotApril Open March-July 10 in. JanJune JanJu										15 in
Tech-April Open Amerik-July Amerik-J		_								2 ft 4 in
Nov.April Open March-July 10 in. SeptMarch Open March-July 10 in. SeptMarch Open March-July Int. Open March-July Open	_		Glass							1-3 ft
SeptMarch Open JanJune 1st. Marigoid JanJune SeptMarch June-Nov.		_		_		Lupinus	DecApril	Open	March-July	1-216
Matricaria Dec., April June-Nov. Matricaria Dec., April Open June-Sept. Matricaria Dec., April Open June-Sept. Matricaria April-July Plat May-July St. Mimponette March-June Plat May-Det. March-Aug.		*				Manipold	Ton Tules	Flat	Tuly Nov	1-3 ft
	owallia	SeptMarch	Open	JanJune	1 ft.					1-3 ft
	lceolaria	Aug -Dec	Glass	Jan -May	1 ft					2 ft
										1 ft
										10 in
maytuft Nov.—May Open Oct.—April Flat May-Oct. 1½ ft. May-Oct.										10 11
Page	-	· ·	_					_	_	
March-May Flat March-May F-O March-Aug 1-3 ft. Nasturfium Anytime Open Jan-Aug Jan-Aug Feb-May Flat SeptPec 3 ft. Nasturfium Anytime Open Jan-Aug Open Jan-Aug Open Jan-Aug Open Jan-Aug Open Jan-Aug Open Jan-Aug Open Open Jan-Aug Open Jan-Aug Open Open Open March-June Open March-June Open Jan-Aug Open Op										1 ft
	losia			July-Oct.			rag. Oct.		200, 0000	
neraria surysanihmus SeptMarch FebMay Flat SeptDec. 3 ft. Nemophila OctApril F-O FebJune Path SeptDec. 3 ft. Nemophila OctMay Open JanAug. Path SeptDec. 3 ft. Nemophila OctJune Open Germe FebMay Open July-Aug. 1 ft. Nemophila OctJune Open March-June PebJune Indicated 4 ft. Nemophila OctMay Open July-Aug. 1 ft. Nemophila OctMay Open July-Aug. 1 ft. Nemophila OctMay Open July-Aug. 1 ft. Nemophila OctMay Open March-July Open March-June Indicated Indic	ntaurea	NovMay	F-O	March-Aug.	1-3 ft.	Nasturtium	Anytimo	Onon	In - Aug	10 in
hrysanthemum FebMay June-Oct. Flat SeptDec. 3ft. Nemophila OctMay Open JanAug. FebJune arkia NovApril Open April-July 2 ft. Nicotiana OctJune Open FebJune March-June Open April-July 2 ft. Nicotiana OctJune Open FebJune March-June Open June-Oct. 4 ft. Plat June-Oct. 4 ft. Plat June-Oct. 4 ft. Plat Nicotiana OctJune Open March-June Open June-Oct. 4 ft. Plat NovApril Open March-July Open June-Oct. 3-5 ft. May-Aug. 3 ft. May-Aug. 3 ft. May-Aug. 3 ft. May-Aug. 5	neiranthus	SeptMarch	F-O	March-Aug.	1 ft.					1 ft
Plat	rysanthemum	FebMay	Flat	SeptDec.						10 in
April-July 2 ft. Nierembergia JanApril Flat March-June NovApril Open July-Aug. 1-2 ft.	neraria	June-Oct.	Flat	FebJune				-		1 ft
The control of the co	arkia	NovApril	Open	April-July	2 ft.					6 in
pleus Feb. May Olass Foliage 1-2 ft. Pansy July-Dec. Flat NovMay Pensimon AugNov. Plat March-Nov. Plat March-July Poppy, Isoland AugMarch Poppy Shirley Poppy, Isoland Revenue Plat April-Oct. Plat DecMay Poppy, Isoland Revenue Plat April-Oct. Plat DecMay Plat March-May Open March-July Poppy, Isoland Revenue Plat April-July April-Nov. Plat March-May Poppy, Isoland Revenue Plat April-July Plat March-June Plat April-July 4 ft. Saintpaulia SeptMay Plat March-June Plat April-July Plat Summer 1-2 ft. Saintpaulia SeptMay Plat AugNov. May Plat AugNov. Plat March-June Plat April-July Plat Summer 6 in Saintpaulia SeptMay Plat AugNov. May Poppy Saintpaulia SeptApril Plat Summer 6 in Saintpaulia SeptApril Plat Summer 6 in Scabiona OctMay Poppy Saintpaulia NovMay Poppy Saintpaulia NovMay Poppy Saintpaulia NovMay Poppy Saintpaulia SeptApril Sieve March-Aug. Plat March-Nov. March Siockia DecApril Plat March-Nov. Plat March		FebMay	Open	June-Oct.	4 ft.		ounmpm	1 140	march vanc	· · · · · · · · · · · · · · · · · · ·
NovApril Open March-June 15 in. March-July Pensismos March-July Open June-Oct. 3-5 ft. March-May Poppy, Shirley Popty, Isoland Poppy, Shirley Popty, Isoland Poppy, Shirley Portulaca Primal poly. Primula poly. P			Open	July-Aug.		D	T. I. D.	T21 - 4	O.4 Tules	e in
ismos March-July Open June-Oct. 3-5 ft. Phacelia Nov-Ang. Nov-March Flat May-Aug. 3 ft. March-July Photos Drummond Press Vine March-May Open July-Sept. P-O March-July 2 ft. Poppy, Shirley Portulaca FebMay Flat April-Oct. 5t. April Photos Primula poly. Nov-May Open July-Sept. P-O June-Sept. 2 ft. April-July 4 ft. March-June March-June Plat April-July 4 ft. March-May Open Jan-May 1 ft. Saintpaulia SeptMay Flat March-June Plat April-July 4 ft. March-May Nov-May Open Jan-May 1 ft. Saintpaulia SeptMay Flat March-Sept. 2 ft. Saintpaulia SeptApril Sept. May Dopen July-Sept. 2 ft. Saintpaulia SeptApril Sept. May Flat March-Sept. 2 ft. Saintpaulia SeptApril Sept. May Flat March-Sept. 2 ft. Saintpaulia SeptApril Sept. May P-O March-Sept. 2 ft. Saintpaulia SeptApril Sept. May Flat March-Sept. 3 ft. Saintpaulia SeptApril Sept. May Fla				_						6 in 2 ft
NovMarch Flat May-Aug. 3 ft. Platella NovApril Open July-Sept. 1 ft. March-July Phoppy, Iceland Poppy, Shirley Popty, Iceland Poppy, Shirley Popty, Shir							_			6-30 in
Celamen June-Aug. Flat OctMarch OctMarch Flat OctMarch Flat OctMarch OctMarch Flat OctMarch Oct										1-2 ft
Progress Vine March-May Open March-July Open March-July 12 ft. Poppy, Ishirley Portulaca NovMay Open March-July 11 ft. Saintpaulia SeptMay Flat March-May Open July-Sept. Primula malac. May-Oct. Flat DecMay Flat March-May March-June Flat April-July 4 ft. Ranunculus March-June Flat April-July 4 ft. Ranunculus March-May Flat March-June Flat April-July 4 ft. Ranunculus March-June Flat April-July 4 ft. Saintpaulia SeptMay Flat March-June March-June Flat March-Sept. 2 ft. Saivia Sanvitalia JanMay Pro Summer 1-2 ft. Saivia Sanvitalia JanMay Open March-July Flat Summer Sept. May Pro March-July Primula malac. April-July Flat Saintpaulia JanMay Open July-Sept. Plat April-July 1-2 ft. Saintpaulia JanMay Pro March-Sept. Summer Saintpaulia JanMay Open July-Oct. Stock July-March Flat July-Sept. Stevia JanMay Pro DecMay Fro DecMay Pro Open July-Oct. Stock Suskesia JanMay Pro DecMay Fro March-July Pro DecMay Pro March-July Pro DecMay Pro DecMay	-						-		•	1 ft
Poppy, Shirley Poppy, Shirley Poppy, Shirley Popty P		0							-	1½ ft
ahlia Feb. May F-O July-Oct. 1-6 ft. Primula poly. NovMay Flat April-Oct. 5 ft. Primula malac. SeptMay Flat All Year 1 ft. Saintpaulia JanMay Flat April-Oct. 5 ft. Primula malac. SeptMay Flat DecMay March-June March-June Flat April-July 4 ft. Ranunculus July-Nov. F-O FebMay Flat AugNovJune Interest Salvia Salvia Salvia JanMay Flat June-Sept. 2 ft. Saintpaulia JanMay Open July-Sept. Flat April-July 1-2 ft. Saintpaulia JanMay Open July-Sept. Flat April-July 1-2 ft. Saintpaulia NovMay Open June-Oct. 1 ft. Saintpaulia Salvia Salvia Salvia JanMay Open June-Sept. 2 ft. Saintpaulia JanMay Open July-Sept. Flat April-July 1-2 ft. Saintpaulia NovMay F-O MarSept. SeptMay Flat June-Sept. SeptMay Flat July-Sept. Hat April-July 1-2 ft. Saintpaulia JanMay Open July-Sept. Flat April-July 1-2 ft. Saintpaulia JanMay Open June-Oct. 1 ft. Saintpaulia JanMay F-O MarSept. March-Aug. 1-2 ft. Saintpaulia JanMay F-O MarSept. May-Aug. Anytime Flat April-July 1-2 ft. Saintpaulia JanMay F-O MarSept. May-Aug. Anytime Flat May-Aug. Anytime Flat All Year Schizanthus NovMay Open July-Oct. Stocks JanMay F-O June-Sept. Sweet William OctMay Flat July-Sept. Flat July-Sept. July-March Flat July-Sept. Flat July-Sept. Sweet William DecApril F-O June-Sept. April-Oct. April-Oct. June SeptNov. July-March Flat July-Oct. June-Sept. Valeriana Venidium JanMay F-O March-July Verbena Vinca FebApril Flat July-Oct. June-Sept. Valeriana FebApril Flat July-Oct. June-Sept. Valeriana FebApril Flat July-Oct. June-Sept. Valeriana Venidium JanMay F-O March-July Verbena Vinca FebApril Flat July-Oct. June-Sept. Valeriana Venidium JanMay F-O March-July Verbena Vinca FebApril F-O June-Sept. July-March Flat July-Oct. June-Sept. Valeriana Venidium JanMay F-O March-July May-Nov. Vinca Vinca FebApril F-O June-Sept. Valeriana Venidium JanMay F-O March-July May-Nov. Violat Violat Violat SeptMay Flat Jun-May July-March Flat Jun-May Flat Jun-May Flat Jun-May Flat Jun-May Flat Jun-May Flat Jun-M					2 ft.					11/2 ft
ahlia Feb. May F-O July-Oct. 1-6 ft. Primula poly. NovMay Flat March-May elphinium Anytime Flat April-Oct. 5 ft. Primula malac. May-Oct. Flat DecMay Gliscus Feb. May Flot June-Sept. 2½ ft. Pyrethrum SeptMay Flat March-June March-June March-June Flat April-July Flat April-July Flat Summer 6 ft. Salvia Feb. May Flat AugNov. June 1 ft. Salvia Feb. May Flat AugNov. F-O FebMay Flat AugNov. F-O FebMay Flat AugNov. F-O FebMay Flat AugNov. F-O Flat Flat AugNov. Flat Salvia FebMay Flat June-Sept. Salvia FebMay Flat May-Aug. March-Aug. F-O March-July Salvia FebMay Flat May-Aug. March-Aug. F-O March-July Salvia FebMay Flat May-Aug. March-Aug. F-O March-July Flat May-Nov. May Flat May-Nov. May Flat AugSept. FebMay Flat July-Oct. Sweet William FebMay Flat July-Oct. March-Filat July-Oct. NovMay Flat July-Oct. Sweet William FebMay Flat July-Oct. March-Filat July-Oct. NovMay Flat July-Oct. March-Filat July-Oct. Sweet William FebMay Flat July-Oct. March-Filat July-Oct. NovFebMay Flat July-Oct. March-Filat July-Oct. NovFebMay Flat July-Oct. March-Filat July-Oct. NovFebMay Flat July-Oct. NovFebMay	press vine	march-may	Open	July-Sept.				-		6 in
Anytime Anytime Flat April-Oct. 5 ft. Primula malac. May-Oct. Flat DecMay ainthus FebMay Flat All Year 1 ft. Pyrethrum SeptMay Flat March-June discus FebMay Flat All Year 2 ft. Saintpaulia Anytime Flat April-July 4 ft. Raunculus July-Nov. F-O FebMay morphotheca Anytime F-O NovJune 1 ft. Saintpaulia Salpiglossis NovMay Flat AugNov. April-Sept. Salvia Salvia JanMay Open April-July Flat Summer 6 in. Saintpaulia JanMay Open April-July Flat Summer 6 in. Scabiosa OctMay Flat June-Sept. SeptMay Flat June-Sept. Schizanthus NovMay F-O MarSept. Schizanthus NovMay F-O MarSept. SeptMay Illia NovMay Open July-Oct. 1 ft. Sainta Daisy Anytime Flat All Year July-Oct. Sievia JanMay F-O DecMay Slock July-March July-Sept. Slockai July-March Glass NovMay F-O DecMay Flat July-Sept. Slockai July-March Flat July-Sept. Slockai July-March Glass NovMay F-O DecMay Flat July-Sept. NovMarch Glass April-July Green Gre	ahlia	Feb -May	F-O	July-Oct	1-6 ft					6 in
anthus FebMay Flat All Year 1 ft discus FebMay F-O June-Sept. 2½ ft. April-July 4 ft. Ranunculus July-Nov. F-O FebMay morphotheca Anytime Flat April-July 4 ft. Ranunculus July-Nov. F-O FebMay Hardbord AugMovJune 1 ft. Rudbeckia AugMay Flat AugNov. Schescholtzia AugMarch Open JanMay 1 ft. Saintpaulia Anytime Glass All Year Salvia FebMay F-O April-Sept. Salvia FebMay Flat June-Sept. Salvia FebMay Flat July-Sept. Siokes July-March Flat July-Sept. Siokes July-March Glass April-Joct. Siokes July-March Glass April-Joct. Siokes July-March Glass April-Joct. OctMay Flat July-Sept. Siokes July-March Flat July-Sept. SeptNov. Trachelium FebMay Flat July-Sept. Verbena DecAng. F-O March-July Verbena DecAng. F-O March-July Verbena DecAng. F-O March-Nov. Vinca FebMay Flat June-Sept. Viola July-March Flat June-Sept. Viola July-M										1 ft
discus FebMay Fo June-Sept. 2½ ft. Ranunculus July-Nov. F-O FebMay gigitalis March-June Flat April-July 4 ft. Rudbeckia AugMay Flat AugNov. AugNovNovNovNovNovNovNovNov		FebMay		•						
gitalis March-June Flat April-July 4 ft. Ranuculus July-Nov. F-O Feb-May AugMay Flat AugNov. morphotheca Anytime F-O NovJune 1 ft. Ranuculus July-Nov. F-O Feb-May AugMay Flat AugNov. morphotheca AugMarch Open JanMay 1 ft. Saintpaulia Salpiglossis NovMay F-O April-Sept. Salvia Salvia FebMay Flat June-Sept. Salvia Salvia JanMay Open Summer 6 in. Scabiosa OctMay F-O MarSept. Scabiosa OctMay F-O DecMay Scok July-March Flat DecJune Scokeia JanMay F-O DecMay Scokeia Siockeia OctMay Flat April-July DecMay Scokeia OctMay Flat OctNov. March-July OctMay Flat OctNov. OctMay Flat OctJune Vinca FebApril Flat OctJune Vinca FebApril Flat OctJune Vinca FebApril Flat OctJune Vinca FebMay Open JanJuly OctApril F-O April-June OctApril F-	discus									
morphotheca Anytime F-O NovJune 1 ft. Rudbeckia AugMay Flat AugNov. schescholtzia AugMarch Open JanMay 1 ft. Saintpaulia Salpiglossis NovMay F-O April-Sept. June-Sept. Salvia FebMay Flat June-Sept. Salvia FebMay Flat June-Sept. Salvia FebMay Open Summer 6 fin. Saloissa OctMay F-O MarSept. Salvia FebApril Open April-July Plat Summer 6 fin. Saloissa OctMay F-O MarSept. Salvia FebApril Open April-July Saponaria FebApril Open April-July Saponaria FebMay F-O MarSept. Salvia JanMay F-O MarSept. Schizanthus NovMay Open June-Oct. 1 ft. Statice Anytime Flat All Year Sievia JanMay F-O MarJuly Sievia JanMay F-O DecMay DecMay Open Anytime F-O March-June Sievia JanMay F-O DecMay Sievia JanMay F-O DecMay Sievia JanMay F-O DecMay Sievia JanMay F-O DecMay P-O DecMay Sievia JanMay F-O DecMay Sievia JanMay F-O DecMay Sievia JanMay F-O DecMay F-O DecMay F-O DecMay Sievia JanMay F-O DecMay F-O DecMay F-O March-July DecMay F-O DecMay F-O DecMay F-O DecMay F-O March-July DecMay F-O DecMay F-O DecMay F-O March-July DecMay F-O DecMay F-O March-July DecMay F-O DecMay F-O March-July DecMay DecMay F-O March-July DecMay Open JanMay DecMay F-O March-July DecMay Open JanMay DecMay F-O March-July DecMay Open JanMay DecMay Open JanMay Vinea F-O March-July DecMay Open JanMay DecMay Open JanJuly DecMay Open Jan	gitalis					Ranunculus	July-Nov.	F-O	FebMay	1 ft
AugMarch Open JanMay 1 ft. Saintpaulia Anytime Glass All Year April-Sept. Salvia FebMay Feb. May	morphotheca					Rudbeckia				2 ft
April-Sept. Salpiglossis Salpiglossis Salpiglossis Salvia Salpiglossis Salvia S		-								
Summer 1-2 ft. Salvia FebMay Flat June-Sept. Sanvitalia JanMay Open April-July Flat Summer 6 in. Saponaria FebApril Open April-July Flat Summer 1½ ft. Saponaria FebApril Open Open April-July Flat Summer 1½ ft. Saponaria FebApril Open Open April-July Flat Summer Flat April-July 1-2 ft. Iliia NovMay Open June-Oct. 1 ft. Saponaria FebApril Open April-July Flat May-Aug. Iliia NovMay Open June-Oct. 1 ft. Statice April-July-March Flat DecApril Flat DecJune Stocksia DecApril Flat DecJune Stocksia DecApril Flat July-Sept. Sinvialia JanMay F-O MarSept. Saponaria FebApril Open April-July Shasta Daisy Anytime Flat DecMay DecApril Flat DecJune Stocksia DecApril Flat DecJune Stocksia Sweet William OctMay Flat April-July Flat April-July March-June Flat July-Oct. Thilhonia Trachelium FebMay Flat June-Sept. Valeriana DecApril F-O June-Sept. Valeriana DecApril F-O March-July Verbena DecApril F-O March-July Verbena DecApril Flat July-Oct. June-Sept. Viola July-March Flat OctJune July-March Flat OctApril F-O April-June OctApril-June OctApril-	chscholizia	AugMarch	Open	JanMay	1 ft.	Saintpaulia	Anytime	Glass	All Year	6 in
sallardia SeptApril Flat April-July Flat Summer 6 in. Sanvialia Sanvialia JanMay Open April-July Flat Summer 6 in. Sanvialia Saponaria FebApril Open April-July Sept. April-July Sept. Flat All Year 1½ ft. Sanbiosa OctMay F-O MarSept. Schizanthus NovMay F-O MarJuly NovMay Open June-Oct. 1 ft. Statice Anytime Flat All Year July-Oct. Stock July-March Flat All Year DecMay Dourds March-June Open March-June Open Anytime F-O All Year 2 ft. Stevia JanMay F-O DecMay DecMay Dourds March-June Open Anytime F-O All Year 2 ft. Stevia JanMay F-O DecMay DecApril Flat July-Sept. Stevia DecApril Flat July-Sept. April-Oct. Stock Sweet William OctMay Flat April-July Thalictrum Torenia FebJune Flat July-Oct. Torenia FebJune Flat July-Oct. Torenia FebJune Flat July-Oct. Vinca FebApril Flat July-Oct. July-Oct. Vinca FebApril Flat July-Sept. March-Iuly Verbena DecApril F-O March-Iuly Verbena DecApril FebMay Flat June-Sept. Vinca FebApril Flat July-Sept. March-Iuly Verbena DecApril FebMay Flat June-Sept. Vinca FebApril Flat June-Sept. Vinca FebMay Flat July-March Flat July-March Flat July-March Flat July-March Flat J						Salpiglossis	NovMay	F-O	April-Sept.	2 ft
April-July Flat Summer 6 in. April-July Flat April-July 1-2 ft. April-July 1-2 ft. April-July 1-2 ft. Schizanithus NovMay F-O MarJuly Shasta Daisy Anytime Flat May-Aug. April-July 1-2 ft. Statice Anytime Flat May-Aug. April-July 1-2 ft. Statice Anytime Flat May-Aug. April-July NovMay Open July-Oct. Stock July-March Flat DecJune Stock July-March Flat Duly-Sept. Anytime F-O All Year 2 ft. Streptocarpus NovMay Flat April-July Thalictrum OctMay Flat April-July Thalictrum Torenia FebJune F-O SeptNov. Torenia FebJune Flat July-Sept. Trachelium FebMay Flat June-Sept. Valeriana DecAug. F-O March-July Veribena DecAug. F-O March-Nov. Vinca FebApril Flat May-Nov. Vinca FebApril Flat OctJune Summer	ur o Clock	OctApril	F-O	Summer	1-2 ft.	Salvia	FebMay	Flat	June-Sept.	1-2 ft
April-July Flat Summer 6 in. Saponaria FebApril Open April-July Fibrera Anytime Flat All Year 1½ ft. Scabiosa OctMay F-O MarSept. MarJuly July-Sept. Flat April-July 1-2 ft. Schizanthus NovMay Open June-Oct. 1 ft. Statice Anytime Flat May-Aug. July-March July-March July-March July-March July-Sept. March-June Open April-July Statice Anytime Flat DecMay DecMay DecMay DecMay DecApril Flat Duly-Sept. Stokesia DecApril Flat July-Sept. Streptocarpus NovMarch Glass April-Oct. Sweet William OctMay Flat April-July Oct. March-July Trachelium FebMay Flat June-Sept. Trachelium FebMay Flat June-Sept. Valeriana DecApril Flat July-Oct. Trachelium FebApril Flat July-Oct. Vines FebApril Flat July-Sept. Vinca FebApril Flat July-Sept. Vinca FebApril Flat July-Sept. Vinca FebApril Flat July-Oct. Vines FebApril Flat July-Oct. Vines FebApril Flat July-Oct. Vines FebApril Flat July-Sept. Vinca FebApril Flat July-Oct. Vines FebApril Flat July-Oct. Vines FebApril Flat May-Nov. Vines FebApril Flat May-Nov. Vinca FebMay Open JanJuly Vicia July-March Flat JanMay Vinca FebMay Open JanJuly Vinca FebMay Open	illardia	Cont Annil	Elet	Mr 1	0.64					6-12 ir
Anytime Flat April-July 1-2 ft. Schizanthus NovMay F-O MarSept. May-Nug. It. Statice Anytime Flat May-Aug. It. Stevia JanMay F-O MarJuly DecMay Flat DecJune Stock July-March Glass April-Oct. Sweet William DecMay Flat Agril-July DecMay Flat Agril-July DecMay Flat July-Oct. Tithonia FebJune Flat July-Oct. Trachelium FebMay Flat July-Oct. Trachelium FebMay Flat July-Oct. Trachelium JanMay F-O March-July Verbena DecAug. FebMay DecApril Flat May-Nov. Vinca FebApril Flat May-Nov. Vinca FebApril Flat DecJune Summer Veridium July-March Flat DecMay Flat July-Oct. Trachelium FebMay Flat July-Oct. Summer Veridium July-March Flat DecMay Open Summer Vinca FebMay Flat July-Nov. Vinca FebMay Flat July-May-Nov. Vinca FebMay Flat July-May-Nov. Vinca FebMay Flat July-May-Nov. Vinca FebMay Flat July-May-Nov. Summer Vinca FebMay Open JanJuly Vinca SeptMay Open JanJuly Vinca SeptMay Open JanJuly Vinca OctApril F-O April-July Vinca OctApril F-O April-Vinca OctApril F-O April-Vinca OctApril F-O April-Vi				-						2 f
July-Sept. Flat April-July 1-2 ft. Schizanthus NovMay Open June-Oct. 1 ft. Statice Anytime Flat May-Aug. Open July-Oct. 1 ft. Stock July-March Flat DecJune Open Anytime F-O All Year 2 ft. Stock July-March Glass NovMarch Glass April-Oct. Stock July-March Flat DecJune OctMay Flat April-July NovMarch Glass April-Oct. Stock Streptocarpus NovMarch Glass April-Oct. April-July Flat April-July FebJune Flat July-Oct. Trachelium FebMay Flat June-Sept. Valeriana Venidium JanMay F-O March-Nov. Vinca FebApril Flat July-Oct. Trachelium FebApril Flat July-Oct. Vinca FebApril Flat July-Oct. Vinca FebApril Flat OctJune Venidium JanMay F-O March-Nov. Vinca FebApril Flat OctJune Verbena DecAug. F-O March-Nov. Vinca FebApril Flat OctJune Vinca FebMay Open JanJuly Vinca SeptMay Flat JanMay Vinca SeptMay Flat JanJuly Vinca SeptMay Flat JanMay Vinca SeptMay Flat JanMay Vinca Flat JanMay Vinca Flat JanMay Vinca SeptMay Flat JanMay Vinca Flat JanMay		_							-	2½ f
dia NovMay Open June-Oct. 1 ft. Statice Anytime Flat All Year Odetia NovMay Open March-June Open March-June Open Anytime F-O All Year 2 ft. Stevia July-March Flat DecJune Open Stokesia DecApril Flat April-July NovMarch Glass Sweet William OctMay Flat April-July Thanks Flat July-Sept. April-July F-O SeptNov. Glass Sweet William OctMay Flat July-Sept. Trachelium FebMay Flat July-Sept. Valeriana DecApril FebMay Flat June-Sept. Valeriana DecApril Flat July-Sept. Valeriana DecAug. F-O March-July Verbena DecAug. F-O March-July Verbena DecAug. F-O March-July Verbena DecAug. F-O March-Nov. Vinca FebMay Open Summer Viola July-March Flat July-Nov. Vinca FebMay Open Summer Viola July-March Flat July-Nov. Vinca FebMay Flat July-Nov. Vinca FebMay Open Summer Viola July-March Flat OctJune Vinca FebMay Open July-March Flat July-Nov. Vinca FebMay Open July-March Flat July-Nov. Vinca FebMay Open July-March Flat July-Nov. Vinca Vinca FebMay Open July-March Flat July-Nov. Vinca FebMay Open July-March Flat July-Nov. Vinca Vinca SeptMay Flat JanMay Flat Jan										1½ f
JanApril Glass NovMay Open Open Open March-June Anytime F1 July-Oct. Anytime F-O All Year 2 ft. Thalictrum Tithonia Torenia FebJune F1 July-Oct. Valeriana DecApril F1 July-Oct. Torenia FebJune F1 July-Oct. Valeriana DecApril F1 July-Oct. Valeriana DecApril F1 July-Oct. Valeriana DecApril F1 July-Oct. Valeriana DecApril F1 June-Sept. Valeriana DecApril F1 June-Sept. Valeriana DecAug. F-O March-July Verbena DecAug. F-O March-July Verbena DecAug. F-O March-Nov. Vinca FebApril F1 May-Nov. Vinca FebApr										2 f
NovMay March-June Open Anytime F-O All Year 2 ft. Stevia Stokesia DecApril Flat Duly-Sept. April-Oct. Sweet William OctMay Flat Duly-Sept. April-Oct. April-July NovMarch Flat Duly-Sept. April-Oct. April-July Flat NovMay Flat Duly-Sept. April-Oct. April-July NovMarch Flat Duly-Sept. April-Oct. April-July Flat Duly-Sept. April-Oct. April-July NovMarch-June F-O SeptNov. FebJune Flat July-Oct. June-Sept. NovMay Flat July-March Flat Vines FebMay Open Summer Viola July-March Flat OctJune Vice July-May-Nov. SeptMay Open June-May Vice July-March Flat OctJune Vice July-March Flat OctApril F-O April-June Mallflower SeptMay Open July-March Flat OctMay Open July-March Flat OctApril F-O April-July-March Flat OctMay Open July-March Flat OctMay Open										2 f
March-June Anytime March-June Anytime March-June Anytime All Year 2 ft. Stokesia Streptocarpus Sweet William OctMay Thalictrum Torenia Trachelium Trachelium Trachelium DecApril Flat AugSept. SeptNov. SeptNov. July-Oct. April-July April-July Verbena Venidium Verbena					1-2 11.		-			2 f
Anytime F-O All Year 2 ft. Streptocarpus Sweet William Oct. May Flat April-July Thalictrum Oct. May Flat AugSept. April-July Thalictrum Tithonia March-June F-O SeptNov. Torenia FebJune Flat July-Oct. Trachelium FebMay Flat June-Sept. Valeriana DecApril F-O June-Sept. Wenidium JanMay F-O March-Nov. Werbena DecAug. F-O March-Nov. Vinca FebApril Flat May-Nov. Vinca FebApril Flat May-Nov. Vinca FebMay Open Summer Viola July-March Flat OctJune Viola July-March Flat JanMay Viola Violet SeptMay Open Summer Viola Vinca Nov. May Open JanJuly Virginian Stock Viscaria OctMay Open JanJuly Viscaria OctApril F-O April-June Wallflower SeptMarch F-O JanJune Wallflower SeptMarch F-O JanJune				July-Oct.						2 f
Sweet William OctMay Flat April-July Thalictrum Tithonia Torenia Trachelium Trachelium Verbena Vinca Vinca Vinca Vinca Vinca Vinca Violat Violet Violet Violet Violet Violet Viscaria Vallflower Wallflower SeptMay Flat AugSept. AugSept. AugSept. AugSept. SeptNov. FebJune Flat June-Sept. March-July FebMay Feo March-July March-July March-July March-Pool March-Nov. March-Nov. March-Nov. March-Nov. March-Nov. March-Nov. March-July Verbena Vinca Vinca FebMay Open JanMay Violet Virginian Stock Viscaria OctApril F-O April-June Wallflower SeptMarch F-O JanJune				All Voor	0.44					2 f
Thalictrum Tithonia Torenia Torenia Trachelium Valeriana Verbena Vinca Vinca Viola Viola Violet Violet Viola Violet Viscaria Viscaria Velliower Vallilower Vinca Viscaria Velliower Vinca Vinc	psopiiid	Anytime	r-0	All Year	2 17.					6 in
Tithonia Torenia Torenia Trachelium Torenia Trachelium Torenia Trachelium TebJune Flat July-Oct. June-Sept. Valeriana Venidium Verbena Verbena Vinca Vinca Vinca Vinca Vinca Vines FebApril Flat May-Nov. Vines Viola July-March Violet Violet Violet Violet Violet Violet Viscaria Veridium Verbena Violet Violet Violet Violet Violet Violet Violet Violet Violet Viscaria Viscaria Viscaria Viscaria Viscaria Viscaria Viscaria Viscaria Viscaria						Sweet William	OctMay	Flat	April-July	1½ ir
Tithonia Torenia Torenia Trachelium Torenia TebApril Flat June-Sept. March-July Verbena DecAug. F-O March-July Verbena DecAug. F-O March-Nov. March-July Vinca TebApril TebMay Open Summer Viola July-March Torenia TebNov. June-Sept. March-July Verbena DecApril Flat May-Nov. Vinca Vinca TebMay Open June-Sept. March-July Open Summer Viola July-March Torenia Torenia TebNov. July-Oct. June-Sept. March-July Verbena OctApril Foo April-June Wallflower SeptMarch F-O JanJune						m1 - 11 - 1	Oat Mar	T21 - 4	Aum Cont	
Torenia Trachelium Torenia Trachelium TebJune Flat July-Oct. June-Sept. Valeriana Venidium Verbena DecAug. Vinca FebApril F-O March-July Verbena Vinca Vinca Vinca FebMay Verbena Vinca Vines FebMay Open Summer Viola Violet SeptMay Virginian Stock Virginian Stock Virginian Stock Viscaria OctApril F-O April-June Wallflower SeptMarch F-O JanJuly Viscaria Valeriana Stock Vines FebMay Open JanJuly Virginian Stock Virginian Stock Virginian V		NA COLUMN TO THE REAL PROPERTY.								4 f
Trachelium FebMay Flat June-Sept. Valeriana Venidium JanMay Verbena DecAug. Verbena DecAug. FebApril Plat May-Nov. Vinca FebApril Vines FebMay Vines Viola July-March Violet SeptMay Virginian Stock Virginian Stock Viscaria OctApril FebMay Open JanJuly Virginian Stock Viscaria OctApril FebMay Open JanJuly Virginian Stock Virginian Sto					R					6-8 f 9 ir
Valeriana DecApril F-O June-Sept. Venidium JanMay F-O March-July Verbena DecAug. F-O March-Nov. Vinca FebApril Flat May-Nov. VINES FebMay Open Summer Viola July-March Flat OctJune Violet SeptMay Flat JanMay Virginian Stock OctMay Open JanJuly Viscaria OctApril F-O April-June Wallflower SeptMarch F-O JanJune			. 4		16					
Venidium JanMay F-O March-July Verbena DecAug. F-O March-Nov. Vinca FebApril Flat May-Nov. VINES FebMay Open Summer Viola July-March Flat OctJune Violet SeptMay Flat JanMay Virginian Stock OctMay Open JanJuly Viscaria OctApril F-O April-June Wallflower SeptMarch F-O JanJune	- 8 2	-48/10	450			Tachenum	rebway	ridt .	oune-sept.	1½ f
Venidium JanMay F-O March-July Verbena DecAug. F-O March-Nov. Vinca FebApril Flat May-Nov. VINES FebMay Open Summer Viola July-March Flat OctJune Violet SeptMay Flat JanMay Virginian Stock OctMay Open JanJuly Viscaria OctApril F-O April-June Wallflower SeptMarch F-O JanJune				The state of		Valoriana	Dog Amil	EO	Tura C	01/-6
Verbena DecAug. F-O March-Nov. Vinca FebApril Flat May-Nov. VINES FebMay Open Summer Suida July-March Flat OctJune Violet SeptMay Flat JanMay Virginian Stock Viscaria OctApril F-O April-June Wallflower SeptMarch F-O JanJune	MA DEATH									2½ f
Vinca FebApril Flat May-Nov. VINES FebMay Open Summer Suit Suit Suit Suit Suit Suit Suit Suit		The state of	1 Maria	3/	1					
VINES FebMay Open Summer Suick July-March Flat OctJune SeptMay Flat JanMay Open JanJuly Open OctApril F-O April-June Wallflower SeptMarch F-O JanJune		3 -336	"ta",							
Viola July-March Flat OctJune Violet SeptMay Flat JanMay Virginian Stock Viscaria OctApril F-O April-June Wallflower SeptMarch F-O JanJune	1	. 4								1 f
Violet SeptMay Flat JanMay Virginian Stock OctMay Open JanJuly OctApril F-O April-June Wallflower SeptMarch F-O JanJune	7/1/1		7.							5-10 f
Virginian Stock Viscaria OctMay Open OctApril JanJuly F-O April-June Wallflower SeptMarch F-O JanJune	W // ''				A 24					6 in
Viscaria OctApril F-O April-June Wallflower SeptMarch F-O JanJune	V. / Table				1. 1		-			6 ii
Wallflower SeptMarch F-O JanJune	N/									6 ir
			THE EAST			v iscaria	OctApril	r-O	April-June	1 f
	1./					Wallflower	Sent - March	F.O	Inn Tuna	11/ 4
RCTOTIS GRANDIS HELICHRYSUM EUPHORBIA Zinnia FebJuly F-O June-Nov.				,		11 dimower	SeptMarch	1-0	JanJune ,	1½ f
MOTOTID GARADID MINISTER DOFNORDIA	BCTOTIS CBA	NDIS HEIT	CHRYSIIM	FIIDH	TRRIA	Zinnia	FebJuly	F-O	June-Nov	1-3 ft
	MAD CITOTOL	NDIS RELI	OIII.I SOM	LOFAC	MIDIA				2 11011	-

Campbell's DEPENDABLE SEEDS

FLOWER SEEDS

Since 1907 Campbell's Seeds have been collected from the best possible sources of the world, rare-plant specialists, foreign companies old enough to be traditions, and the wide, sunny valleys of California. They have been growing their own reputations in gardens all over the United States. Let them grow a reputation for You and Your Garden.


All seeds and books sent postpaid; prices of roots and plants do not include postage. All prices subject to change without notice.

Directions and advice are part of our service. Call on us when you want to hire a gardener.

Ask for our Bulb List, ready by mid-August.

Should you not find the certain variety of seed you want in this catalog, ask us for it. We are in touch with the leading growers in this country and can obtain kinds not in stock in from 3 to 10 days, if they are available.

In the brief descriptions of flower seeds that follow we have compiled much information for most of them, such as germination period, time best for sowing, duration of plants (whether perennial) (Per.), plants growing and flowering for several years; biennial (Bien.), growing the first year to flower and die the second, and annual (assumed to be the duration if no other habit is indicated), and notes on culture. The colors found in each genus indicates the normal color range but need not infer that all these are available in separate colors.



ALYSSUM, CARPET OF SNOW

ABRONIA umbellata, Sand Verbena. a-broh'-ni-a. Full Sun.
Rosy-lilac, verbena-like flowers, fragrant at night; trailer for
sunny rockery or window box. Sow November to April. Pkt. 10c.

ACROCLINIUM roseum hybridum. ak-roh-klin'-ee-um. Full

Pink and white, double, everlasting flowers; often bloom in 8 weeks; 1½ feet high. Sow November to March. Germination period 2 to 3 weeks.

New Sensation Giants, with richer colors and larger flowers; splendid for cut flowers, used either fresh or dried. $\frac{1}{6}$ -oz., 40c; Pkt. 10c.

AGATHEA

Clear blue with yellow disk; splendid for small bouquets; good border or low hedge; 1 to 2 feet high. Sow March to Aug. Pkt. 10c.

AGERATUM mexicanum, Floss Flower. a-jer-ay'-tum.
Blue, feathery flowers in clusters; very free blooming all
Summer and Fall. Sow February to June. Germination period

Midget Blue. 3 inches. Pkt. 15c. Blue Ball Improved. 6 inches. Pkt. 15c. Fairy Pink. Rose-pink, 4 inches. Pkt. 15c.

AGROSTEMMA coronaria, Rose Campion. Per. Sun.

a-gross'-stem-ma.

Blood red flowers, with silvery foliage; for beds, or cutting;

2 feet. Sow March to September. Germination period 10 to
14 days. Pkt. 10c.

ALSTROEMERIA. Per. al-stre-me'ri-a. Sun.

Peruvian Lily. Bright attractively striped flowers growing on a strong shrubby plant 2-3 feet tall. Lasting as cut flowers. Small bulbs are formed which may be dug and replanted. Sow March to October. Germination period 10-14 days.

Aurantiaca. Orange striped red.

Chilense. Shades of pink salmon, and apricot. Pkt. 25c.

ALYSSUM. Sweet. a-liss'-sum. Sun, half shade.
White, lilac, cream fragrant heads of tiny flowers; fine for edgings, beds, or ground cover. Sow any time. Germination period 10 to 20 days.

Carpet of Snow. Spreading white; 3 inches. ½-oz., \$1.00; Pkt.

Lilac Queen. Lavender; 6 inches. Oz., \$1.00; ½ oz., 55c; Pkt. 10c. Little Gem. White; 6 inches. Oz., \$1.00; ½ oz., 55c; Pkt. 10c. Cream Yellow. 6 inches. ½ oz. 95c; Pkt. 10c. Maritimum. Very fragrant white; 1 foot. Oz. 60c; ½ oz. 40c;

Pkt. 10c.

Violet Queen. New deep bright violet; 4 inches. Oz. \$1.00; ½ oz. 90c; ¼ oz. 50c; Pkt. 15c.

ALYSSUM saxatile. Per. Full sun.
Yellow flowers in masses; 1 foot; fine for borders. Sow
March to July for late Spring bloom.
Gold Dust. Bright golden yellow. 1/4 oz. 40c; Pkt. 10c.
Citrinum. Sulphureum; pale yellow. Pkt. 15c.

AMARANTHUS. am-a-ranth'-us. Sun.
Showy Summer bedding annuals; prefer lime soil.
COLORED FOLIAGE
Molten Fire. Fiery crimson; 4 feet. Pkt. 10c.
Salicifolius. Fountain Plant; bright red-and-gold "shredded" foliago. Pkt. 10e.

foliage. Pkt. 10c.

DROOPING RED TASSELS: Caudatus, Love-Lies-Bleeding.

All about 3 feet. Sow March to June. Germination period 5 to 10 days. Pkt. 10c.

Tricolor. Joseph's Coat. Pkt. 10c.

AMARYLLIS. am-a-ril'is. Sun or light shade.

Rice's Hbyrids. A lovely, large flower in shades of deep red, scarlet, rose, orange, cream, white, solid colors and stripes. These hardy flowers develop large heavy bulbs which multiply. Fine for pots or mild climate gardens. Seeds 5c each; 25 for \$1.00 for \$1.00.

ANACALLIS grandiflora. a-na-gal'-lis. Sun.
Vivid blue, brick-red, lavender; for sunny rockeries, low beds and borders; 8 inches. Sow March to June. Germination period 3 weeks. Blue, Red, and Mixed. Pkt. 10c.


ANCHUSA capensis, Blue Bird. an-choo'-sa. Sun.
Deep blue, Forget-Me-Not-like flowers, for sun; 2 feet. Sow
October to April. Pkt. 10c.

ANCHUSA italica. Per. Sun to light shade.

Large Forget-Me-Not-like flowers; 3 to 5 feet tall. Sow March to July. Germination period 2 to 3 weeks.

Gentian Blue. Pkt. 10c.

Lissadel. Bright blue. Pkt. 10c.



HYBRID AMARYLLIS

ANTIRRHINUM, Snapdragon. an-tir-ry'-num. Sun.
Rich colors in a wide range, with a long blooming season, make this one of the most popular as well as one of the best bedding and cutting annuals. Sow July to April. Germination period 10 to 15 days.

Rust-resistant varieties now equal the old in color and form, and are immune, or very resistant, to rust. Unless otherwise noted, all varieties listed are Rust-resistant.

MAXIMUM. Large-flowered and tall; 3 to 4 feet.

MAXIMUM. Large-flowered and tall; 3 to 4 th Alaska. Finest white.
Apple Blossom. Pink with white tube.
Campfire. Pure luminous scarlet.
Canary Bird. Clear rich yellow.
Copper Queen. Deep bronzy copper.
Copper Shades. Velvety orange and old gold.
Paradise Rose. Rose pink.
Crimson. Deep velvety red.
Lovelinese. Soft glowing pink.

Crimson. Deep velvety red.
Loveliness. Soft glowing pink.
Maximum Mixed. 1/16 oz. 45c; Pkt. 10c.
Separate Colors. Pkts. 15c; 3 for 35c.
MEDIUM. The finest height for bedding; 1½ to 2½ feet.
Mixed, All Colors. 1/16 oz. 45c; Pkt. 10c.
SUPER MAJESTIC. New group, with extra-long flowers on plants intermediate in height. The long flower-spikes give the effect of somewhat greater height than the medium group:
Autumn Glow. Old rose suffused amber.
Buttercup. Rich yellow.
Copper Shades. Copper-orange to old gold.
Dainty. Light pink.

Copper Shades. Copper-orange to old gold.

Dainty. Light pink.

Harmony. Terra cotta and yellow, tinted pink.

Red Rocket. Bright red.

Reveille. Pale golden yellow.

Rose Sensation. Best salmon-tinted rose-pink.

Royal Crimson. Garnet.

Silver Pink. Clear; delicate pink.

Tangerine. Golden orange shades.

Super Majestic Mixed 1/16 oz 50c; Pkt 15c. Se

Super Majestic Mixed. 1/16 oz. 50c; Pkt. 15c. Separate colors: Pkt. 20c; 3 for 50c.

NEW "TETRA" SNAPDRAGONS

Big flowers on tall, husky plants, very rust-resistant; unusual colors. Mixed. Pkt. 25c.


DWARF.

Magic Carpet. New, dwarf mixture, not rust-resistant. Pkt.

AQUILEGIA, Columbine. Per. a-kwi-lee'-ji-a. Sun to shade. Yellow, pink, blue, orange and red large airy flowers on graceful plants in Spring and early Summer; stand sun or partial shade; 2 to 3 feet. Sown April to August will bloom next Spring. Germination period 20 to 60 days. Alpina. Dwarf blue; 18 inches. Pkt. 10c. Chrysantha Yellow. Pkt. 10c. Clematiflora. New, spurless variety, in clear pastel colors, with large open flowers like Clematis. Pkt. 35c. Long-spurred varieties:

Blue Shades. Extra selected.
Crimson Star. Deep red, starred white.
Orange and Scarlet Shades.

Orange and Scarlet Shades.
Snow Queen. Finest white.
Rose Queen. Pink and rose.
Campbell's Hybrids. Unusual shades, wide color range. 1/32 oz. 50c; Pkt. 25c.
All above 1/32 oz. 75c; Pkt. 15c.



AQUILEGIA



ARCTOTIS, NEW HYBRIDS

ARABIS alpina, Rock Cress. Per. ar'ra-bis. Sun, light shade.
White, fine flowers, forming blanket of bloom in Spring in sun, on poor soil; 8 inches. Sow any time. Germination period 3 weeks. Pkt. 10c.

ARCTOTIS, African Daisies. Per. ark-toh'-tis. Full sun.

Large daisies on long stems, for cutting and beds; fine in extra-dry sunny places; $1\frac{1}{2}$ feet. Sow October to April for

extra-dry sunny places; 1½ feet. Sow October to April for bloom first Summer.

Grandis. Pale lilac. Pkt. 10c.

New Hybrids. Containing many shades of yellow, orange, bronze, red, and lavender, almost constantly in bloom. Large Pkt. 35c; Small Pkt. 15c.

ARMERIA formosa, Sea Pink; Thrift. Per. ar-meer'-i-a. Sun Rose pink flower-clusters above grassy foliage; for cutting and borders. Sow January to July. Germination period 2 weeks. Large-flowered Hybrids, with large heads on 15-inch stems. Pkt. 15c.

ASTERS

One of the best Summer bedding and cutting annuals. Sow all varieties February to June. Single Rainbow as late as August. Germination period 1 to 2 weeks. Full sun.

Mixtures and white crimson and white.

EARLY GIANT. New wilt-resistant group, similar in flower to the California Giants, but somewhat shorter in height and not

so spreading.

Light Blue. Peachblossom. Light pink. Rose Marie. Rich rosepink. Pkt. 20c.

SUPER GIANT TYPE. New, greatly improved California Giants, earlier and larger-flowered. El Monte. Giant crimson-red. Los Angeles. Giant clear pink. Pkt. 15c.

CREGO. Large, curly-petalled; medium-length stems; 21/2 feet;

wilt resistant.

Blue Flame. Bright navy blue.

Crimson. Glowing deep rose-crimson.

Cattleya. Fascinating shade of orchid.

Purple. Showy violet purple.

Pink. Beautiful shell pink.

Rose. Lovely bright carmine rose.

White. Purest white, large and fluffy.

Crego's Finest Mixed. Pkt. 10c.

HEART OF FRANCE. Rich red, medium-sized flowers; wilt-resistant. Pkt. 15c.

CALIFORNIA GIANTS. Long-stemmed, double, curly-petalled; 2½ feet. Rose, September Beauty. Shell pink, charming. Rose, Peachblossom, Light Blue, Purple, White, and Mixed. 1/16 oz. 35c: Pkt. 10c.

EARLY BEAUTY. Long-stemmed, double, incurve. Light Blue, Purple, Crimson, White and Mixed. Wilt-resistant. 1/16 oz. 35c; Pkt. 15c.







ASTER, BEAUTY

ASTER, SUNSHINE

ASTER, CREGO

SINGLE RAINBOW. Very floriferous for bedding and cutting; 2 feet. Pink, Rose, Light Blue, Purple, Mixed. 1/4 oz. 45c; Pkt.

GIANT CALIFORNIA SUNSHINE. New, large, single, anemone-centered; 2½ feet. Mixed Pkt. 15c.

QUEEN OF THE MARKET. Early branching variety. Ballet Queen. Fascinating salmon-rose. Finest Mixed. Pkt. 10c.

QUILLED POMPON MIXED. Pkt. 15c.

ASTER, Princess

The Princess Asters have a full deep crested center, surrounded by several rows of dainty plumelike guard petals. This is a very attractive new cutting strain of early wilt-resistant Aster, branching and bearing quantities of flowers on strong stmes. Princess Anne has a dainty peach blossom coloring. Princess Barbara a lively shade of lavender. Princess Bonnie is soft salmon rose with a rich golden center. Princess Marsha is a striking cinnabar scarlet.

Golden Sheaf. Yellow. Pkts. 25c; 5 for \$1.00.

AUBRIETA, Rainbow Rock Cress. Per. au-bre'-tah. Sun.
Lavender, pink, and purple flowers, resembling Virginian
Stock, for sunny rockery or border; 6 inches. Sow January to
May. Germination period 25 days. Deltoides. Blue-lilac.
Large-flowering Hybrids Mixed. Pkt. 15c.

BABY BLUE EYES. See Nemophila.

BABY'S BREATH. See Gypsophila.

BACHELOR'S BUTTON. See Centaurea cyanus.

BALSAM, Lady's Slipper. ball'-sum. Sun.
Pink, salmon, red, white, double camellia-like flowers on bushy plants, thrives in hot sun and rich soil, copiously watered; 18 inches. Sow March to May. Germination period 10 to 14

Giant Camellia-flowered. Mixed. 1/8 oz. 25c; Pkt. 10c.

BARTONIA, Mentzelia, Blazing Star. bar-tone'-i-a. Sun. Golden yellow, large, silken-petalled flowers with many sta-mens; California native, for sun and shady soil: 2 feet. Sow November to April. Germination period 5 to 10 days. Pkt. 15c.

BEANS. See Dolichos, and Scarlet Runner.



TUBEROUS BEGONIA Camellia Flowered

BEGONIA. Per. bee-gohn'-i-a. Sun to shade.

Useful bedding and pot plants, for full or partial shade. Sow January to May, on surface of fibrous loam, fine sand and leaf mold, preferably under glass, and watering from below.

FIBROUS-ROOTED:

FIBROUS-ROOTED:
Carmen. Salmon-rose, bronze foliage.
Christmas Cheer. Darkest scarlet; large.
Christmas Pink. Large rosy pink.
Ile de France. White, green foliage.
Indian Maid. Scarlet, very dark foliage.
King of the Reds. Favorite dwarf red.
Luminosa. Scarlet, brown foliage.
Masterpiece. Pale pink, green foliage.
Prima Donna. Rose-pink, green foliage.
Scandinavia. Fine dwarf pink.
White Pearl. Clear white. Pkt. 50c; Small Pkt. 25c.

TUBEROUS-ROOTED. We offer only seed grown by Vetterle & Reinelt, originators of the finest American Tuberous Begonias. These extravagantly beautiful flowers are in shimmering shades of pink, apricot, rose, white, flame-orange, crimson, scarlet, yellow and salmon. Grow them in the shade in pots or beds with plenty of leaf mold. Treat them to a frequent mist spray in hot weather.

Camellia Flowered Double, Mixed. The largest, most popular type in beautiful colors. Pkt. 75c.
Fimbriata plena, Mixed. Double frilled, like huge Carnations.

Ruffled Novelties of 1948. Amazingly beautiful crosses between Camellia Flowered and Fimbriata varieties, featuring fine forms, and huge fringed and fluted flowers in the lighter color tones. Pkt. \$1.00; Small Pkt. 75c.

BELLIS perennis, English Daisy. Per. Bell'-lis. Sun to shade. Pink, red, and white double flowers for edgings and low beds in sun or shade; 6 inches. Sow August to April (blooms in 5 months). Germination period 10 to 14 days. Monstrosa (large-flowered) sorts; **Aeina**, quilled red; **Light Pink**; **Deep Rose**; **White**; **Mixed**. Large Pkts. 25c; Small Pkts. 10c.

BRACHYCOME iberidifolia, Swan River Daisy. bra-kick'-o-me.

Sun or part shade. Blue, pink, and white flowers like small Cinerarias, for low Winter and Springs beds, ground-cover, and cutting; 10 inches. Sow Nov. and May. Germination period 10 days. Blue; Mixed.

BROWALLIA. brow-wall'-i-a. Sun or shade.

Pure blue flowers in all seasons, and in sun or shade; prefers rich soil; 1 foot. Sow any time. Germination period 1 month. Elata. Amethyst blue, 18 inches tall. Pkt. 15c. Speciosa Major. Large-flowered, bright blue pot variety.

Pkt 50c Viscosa compacta. Deep sapphire blue with white eye, 9 inches


tall. Pkt. 25c.

CABBAGE, Flowering; Ornamental Kale. Sun.

The foliage, as it becomes well-developed, turns green-and-white, or shades of purple, etc., usually along the curly or fringed edges, so that the entire loose head resembles a huge flower; striking in flower arrangements. Sow March to September. Large Pkt. 35c; Small Pkt. 15c.



BEGONIA, CHRISTMAS CHEER



CANTERBURY BELL, CUP AND SAUCER

CACTUS. Per. Full Sun.

Drought-resisting, more or less spiny. Sow in small seed pans indoors, or when weather is warm outdoors.

All Kinds Mixed. 50c Seeds, 35c; 15 Seeds, 15c.

CALCEOLARIA. Per. kal-see-oh-lay'-ri-a. Shade, part shade. Yellow, orange and red, spotted purse-shaped flowers in clusters, for pots and shady beds; about 1 foot. Sow August to December.

Hybrida Grandiflora. Large-flowered, tender pot strain. Pkt.

Rugosa Hybrida, Flower Cloud Mixed. Hardy strain with medium-sized flowers, for outdoor bedding in shade. Pkt. 50c.

Calendula

CALENDULA, Winter Marigold. ka-len'jew-la. Sun.

Shades and combinations of orange, yellow, and cream, double flowers, ideal for Winter and Spring beds and for cutting; 1 to 2 feet. Sow July to March. Germination period 10 to 14 days. FLAT-FLOWER VARIETIES:

Ball's Gold. Large deep yellow.

Ball's White. Cream, picoteed apricot.

Campfire. Large dark orange.

Lemon Queen. Clear yellow.

Orange King Improved. Standard rich orange.

Art Shades Mixed. New, pleasing mixture, many with picotee

edges.
All Varieties Mixed. All, ½ oz. 75c; ¼ oz. 40c; Pkt. 10c.
LOOSE-PETALLED VARIETIES:
Chrysantha. Sunshine, large, semi-double buttercup-yellow.
Pacific Beauty Strain. New, more uniformly large, fluffy flowers, longer stems, more resistant to heat.
Apricot Beauty. Delicate, two-toned apricot.
Lemon Beauty. Gleaming, pure yellow.
Persimmon Beauty. True persimmon-orange.
Pacific Beauty Mixed. All Pkts. 15c.
Yellow Colossal. New, improved Chrysantha; larger, more double. ⅓ oz. 30c; Pkt. 15c.
Trial Ground Blend. New, selected for resistance to heat, and long blooming season, light and pastel shades, shaggy form.
½ oz. 75c; ¼ oz. 40c; Pkt. 10c.

CALIFORNIA POPPY, Eschscholtzia.

CALLIOPSIS, Annual Coreopsis. Kal-lee-op'-sis. Sun.
Bright yellow, yellow-and-red, and red daisy flowers, showy
in Summer beds and as cut flowers. Sow March to July.
Germination period 10 to 14 days.
DWARF VARIETIES:

Golden Crown. 1 foot; showy large deep yellow with small red

Dwarf Mixed. 6 inches. All shades. Pkt. 10c. TALL VARIETIES MIXED. 3 feet. Pkt. 10c. Crimson King. Tall, dark red. Pkt. 10c.

CAMELLIA, japonica. Ca-mel'i-a. Flowering Shrub. Shade.

Many new and interesting variations of this very beautiful flowering shrub may result when they are raised from seed.

The blooms are white, shades of red, rose, and pink, often striped. Sow in March.

Hybrids Mixed. Seeds, 10c each; 15 for \$1.00.

CAMPANULA, Perennial Varieties. Per. kam-pan'-you-la.
Blue, white, bell-shaped flowers. Sow October to March.
Carpatica, Hare Bell. Blue and white. 10 inches. Sun.
Persicifolia, Peach Bell. Mixed. 2-3 feet. Sun.
Pyramidalis, Chimney Bell. Mixed. 5-6 feet tall. Sun.
Rotundifolia (Blue Bells of Scotland). Blue, 1 foot. Sun, shade. Pkt. 15c.

CAMPANULA medium, Canterbury Bells. Sun.

Blue, pink and white, large bells on tall spikes. Usual type biennial, flowering second season; annual type flowers in 5 to 7 months from seed. Sow any time. Germination 10-15 days. BIENNIAL CANTERBURY BELLS. 3 feet.

Calycanthema. Cup and Saucer type. Flowers have a saucerlike development at base. Very lovely.

Rose Pink; White; Light Blue; Dark Blue.

Mixed. Good color assortment. Pkt. 10c.

Single Type. Mixed only. 1/16 oz. 35c; Pkt. 10c.

Double Mixed. Flower fully double. Pkt. 10c.

ANNUAL CANTERBURY BELLS. 3 feet.

Liberty Bell. Deep blue.

Wedding Bell. Pure white.

Angelus Bell. Deep rose pink. Mixed. Pkts. 15c; 3 for 35c.

CANDYTUFT. Sun.

White, pink, lavender, and red flower-heads on bushy plants for borders, beds, and cutting; 1 foot. Sow November to May. Germination period 10 to 14 days.

UMBELLATA VARIETIES:
Pink, Lavender, Rose, Cardinal, White, and Mixed. ½ oz. 60c;

Pkt. 10c Dwarf Mixed. Nana compacta, 6 inches. 1/4 oz. 30c; Pkt. 10c.

HYACINTH-FLOWERING VARIETIES:


Giant White. Large spikes; 1 foot.

Miniature Gem. White; 4 inches. 14 oz. 45c; Pkt. 10c.

CANDYTUFT. Per. See Iberis.

CANNA. Per. Sun.

Vivid pinks, yellows, oranges and reds, useful for foliage and flower mass effect; flower first year from seed, which soak; 3 feet. Sow January to May. Germination period 2 weeks. Crozy's Hybrids Mixed. Pkt. 25c.



CAMELLIA

Carnations

CARNATION, Dianthus Caryophyllus. Per. Sun.

Germination period 10 days. Campbell's Perpetual Giant Hybrids Mixed. Nice color variations, long blooming period, large blooms, good percentage of doubles. Pkt. 50c.

Chabaud's Giant Pink, Rose, Scarlet, Crimson, Yellow, White, Chabaud's Giant Pink, Rose, Scarlet, Crimson, Yellow, White, and Mixed. Bloom in 6 months from seed. Pkt. 15c; 3 for 35c. Giant Enfant de Nice Carnations. They are of compact growth with extremely stiff stems bearing flowers 2½ to 2¾ inches without disbudding. The colors come about 75% true from seeds and give about 90% of plants with double flowers. Mixed. Pkt. 15c. Improved Early Perpetual Giants. Plants bloom in 5 months and continue all Summer. The flowers are unusually large, very double and clove scented on stiff 15 to 18-inch stems. Salmon Glory, Violet Queen, Canary Yellow, Mt. Blanc (white), and Choicest Mixed. Pkts. 50c each.

CASTOR OIL BEAN, Ricinus. Per. ris'-i-nus. Sun.
Very rapid-growing foliage plant. Sow January to April. Germination period 2 weeks. Zanzibariensis (12 feet), green and bronze leaves. Pkt. 10c.

CELOSIA, Cockscomb. sell-oh'si-a. Full sun.
Crimson, rose, and yellow dense heads and plumes. Sow March to May. Germination period 7 to 10 days.
Cristata, Cockscomb Type; Dwarf (1 foot), Crimson, Maple Gold (gold tipped and shaded from light to deep pink), and Tall (3 feet), Mixed.
Plumosa, Feathered type; 2½ feet: Crimson; Yellow; Pride of Castle Gould Mixed.
Childsii. Chinese Woolflower: 2 feet: Mixed. Pkt. 10c.

Childsii, Chinese Woolflower: 2 feet: Mixed. Pkt. 10c.







CANDYTUFT. HYACINTH

CAMPANULA ANNUAL

GOLDEN CROWN

CENTAUREA, cyanus, Cornflower, Bachelor's Button. Sun.
Blue, rose, red, and white flowers for beds and bouquets. Sow
November to May. Germination period 10 to 15 days.
Blue Boy. Pure deep blue.
Pinkie. Rose pink.
Snow Man. White.
Red Boy. Ruby red.
Mixed. Pkt. 10c.
DWARF bedding type; 1 foot:
Jubilee Gem. Deep blue; very useful for both bedding and cutting.

cutting.
Lilac Lady. Pkt. 15c.
Polar Gem. Clear white. Pkt. 15c.

CENTAUREA imperialis, Sweet Sultan. Sun.

Pink, lavender, purple, white, and yellow fragrant flowers like large, soft thistles; 2½ feet. Sow November to May. Germination period 2 weeks. Amaranth Red, Lavender, Pink, White, Yellow (Suaveolens, not in mixture), and Mixed. Pkt. 10c.

CENTAUREA americana, Basket Flower. Sun.

Large feathery lilac flower somewhat resembling an interwoven basket, on a hamdsome annual plant; 4 feet. Sow October to May. Germination period 2 weeks. Pkt. 10c.

CENTAUREA. See also Dusty Miller.

CERASTIUM tomentosum, Snow in Summer. Per. Sun.

se-ras'-tee-um.

White flowers and silvery foliage for sunny edgings and rockery; 8 inches. Sow January to June. Pkt. 10c.


CHEIRANTHUS, Siberian Wallflower. ky-ran'thus. Sun.

Dazzling, bright orange or golden yellow flowers, produced freely from early Spring to Summer; 1 foot. Sow September to March. Germination period 2 weeks.

Vivid Orange; Golden Bedder. Deep yellow. Pkts. 10c.

CHRYSANTHEMUM. Per. See also Matricaria, Pyrethrum, and Shasta Daisy. kris-an'-the-mum. Sun.

Korean Hybrids. Early-flowering, bushy type for garden decoration. Single and semi-double. Mixed. Pkt. 25c.



CARNATION, CAMPBELL'S GIANTS

CHRYSANTHEMUM, Annual, Painted Daisies. Sun.

Yellow, white, pink, and red, large daisy cut-flowers; 2 feet. Sow October to April. Germination period 10 to 18 days. **Tricolor Mixed.** Pkt. 10c.

CINERARIA hybrids. sin-e-rar'-ia. Shade.

Unusually rich colors in the showiest early Spring bedding plant for shade, and pots. Sow June to October. Germination

plant for shade, and pots. Sow June to October. Germination period 8 to 10 days.

Grandiflora Semi-Dwarf. 16 inches: Blue Shades, Crimson and Carmine Shades, Salmon, White. Pkt. 50c.

Campbell's California Giant Strain, Mixed. Notable for immense flowers and pleasing colors. Pkt. 50c.

Cremer's Prize Strain. Semi-dwarf, with medium-sized flowers, but producing the largest heads of any type. Pkt. 50c.

Howard & Smith's Prize Strain. Mixed. Pkt. 50c.

Multiflora Nana. New dwarf (1 foot) type, with quantities of tiny flowers in all shades. Pkt. 50c.

CLARKIA elegans. clark'-i-a. Sun, light shade.

Pink rose, red, purple, and white double carnation-like flowers Albatross. Fine upright white.

Apple Blossom. Delicate pink.

Firebrand. Orange-scarlet.

La France. Salmon pink.

Pkt 10e: 3 for 25c.

Pkt. 10c; 3 for 25c.

All Colors Mixed. 1/4 oz. 50c; Pkt. 10c.



CANDYTUFT, HYACINTH FLOWERED

CLEOME Pink Queen. Silver Medal A.A.S. '42. Sun.

A tall attractive border subject, Cleome Pink Queen has huge heads of delightful true pink, with no trace of magenta. It reaches a height of 4 feet. Blooming from June till frost, and unaffected by disease or pests, it is a most desirable flower for bold clumps of color in background planting. Pkt. 15c.

COCK'S COMB. See Celosia.

COIX lachrymae, Job's Tears. koh'-ix. Sun.

Interesting, grass-like plant, grown for its smooth, hard, tear-shaped seeds, often used for beads. Sow February to May, nicking seeds. Germination period 2 weeks. Oz. 40c; Pkt. 10c.

COLEUS. Per. ko'-lee-us. Shade or part shade.

Ornamental foliage plant for pots or outdoors, with large, vari-colored velvety leaves in partial or full shade; 1 to 2 feet. Sow February to May. Germination period 10 to 15 days. Rainbow. Rich colors and markings. Pkt. 50c. Exhibition Varieties. Large, unusually patterned leaves. Pkt. 50c.

COLLINSIA bicolor, Innocence. kol-lin'-si-a.

Blue-and-white flowers in spikes; California native for sun and shade; 15 inches. Sow November to April. Germination period 2 weeks. Pkt. 15c.

COLUMBINE. See Aquilegia.



COSMOS SENSATION

CONVOLVULUS, Annual. See Morning Glories.

CORAL BELLS. See Heuchera.

COREOPSIS lanceolata grandiflora. Per. ko-ree-op'-sis. Sun.

See also Calilopsis and Leptosyne.
Chrome-yellow, large, glossy daisy flowers on long, graceful stems; 2 to 3 feet. Seeds sown November to March bloom first season. Germination period 3 weeks.

Mayfield Giant. Large-flowered single.

Double Sunburst. New, large double yellow. Pkt. 10c.

CORNFLOWER. See Centaurea cyanus.

CONEFLOWER ASTER. See Stokesia.

COSMOS. koz'-mus. Sun.

Crimson, pink, and white daisy flowers for show and cut with light green, feathery foliage, thriving in poor or sandy soils. Sow March to July. Germination period 10 to 14 days. EARLY SORTS (3 feet; bloom June-August): Sensation. New, with huge pink rose, and white flowers on strong bushes in 10 weeks. Pinkie. Rose-pink. Purity. White. Dazzler. Velvety maroon; '43 All America Winner. Radiance. Large rose, with crimson zone. Pkt. 15c. Early Double Sensation. Fluted and crested. Mixed.

Mixed.

Orange Flare. New early-flowering form of the Late Klondyke Cosmos. Yellow Flare. All America '42.

LATE SORTS (5 feet; bloom Soptember and October):
Single Pink, White, Crimson and Mixed. Pkt. 10c.

Double Crested Mixed. Pkt. 15c.

⁻ Cyclamen [—]

CYCLAMEN persicum giganteum. Per. sy'-kla-men. Shade.

Salmon, pink, rose, red, lavender, white "shooting-star" flowers with beautiful foliage, for pots or outdoors in shade; 1 foot. Sow any month but allow 18 months to flower; July to September best time for Christmas bloom. Germination period 3 to 4 weeks.

Giant-flowered strain: Rose-pink, Salmon, White, Red, and Mixed, 6c per seed. Double Mixed, 8c per seed.

CYNOGLOSSUM amabile, Chinese Forget-Me-Not. Sun.

sy-no-gloss'-um.
Pure blue and white, large forget-me-not-like flowers in sprays, good for cutting and bedding in sun. Sow October to April. Germination period 10 days.
Clear Blue (2 feet). Pkt. 10c.
Firmament. Purest mid-blue, dwarf and bushy (15 inches)

Mixed. New, includes white, and many shades of blue. Pkt. 15c.



CINERARIA, CAMPBELL'S CALIFORNIA GIANTS

DAHLIA. Per. dal'-ya. Sun.

Great variety of colors and types blooming profusely and forming tubers the first season. Sow February to May. Ger-

mination period 10 days. Cactus Mixed. 25 seeds, \$1.00.

Campbell's Prize Mixed. From Cactus and Decorative, improved named sorts only. Pkt. 50c.

Fine Exhibition Varieties Mixed. Seeds from new exhibition types which make good parents. No miniature or pompons selected. 15 seeds \$1.00; 100 seeds \$5.00.

Unwin's Dwarf Hybrids. 1½ feet, early flowering, semi-double.

Pkt. 10c.

Coltness Hybrids Improved. New and complete range of colors in this fine, single flowered, dwarf compact (1 foot) bedding Dahlia. Pkt. 10c.

DATURA, Angel's Trumpet. da-toor'-a. Sun.
White, yellow, and purple, large, showy trumpet flowers on handsome specimen plants, in bloom all Summer; 3 feet. Sow February to May. Germination period, 2 to 3 weeks. Double and Single Mixed. Pkt. 25c.

Delphinium

DELPHINIUM CHINENSIS. dell-fin'-i-um. See also Larkspur.
Dwarf annual, with flowers very similar to perennial sorts,
for low beds and edgings; 1 foot. Sow December to April.
Germination period 2 weeks. Sun or partial shade.
Blue Butterfly Improved. Ultramarine blue.
Blue Mirror. Unusual spurless, deep blue. Pkt. 15c.
Azure Fairy. Clear light blue. Pkt. 10c.



CYCLAMEN

DELPHINIUM. Per. Full sun, or high shade.

Splendid, stately border and bedding plant and cutting flower. Sow July to November for bloom in spring, or December to March for bloom that Summer. Germination period 2 to 3 weeks.

Cultural Note: Delphinium seed germinates best as soon as ripe. We supply New Crop seed exclusively, after July 15th each year, so that late Summer and Fall sowing is recommended. Chill seed 48 hours in refrigerator. When set out, deep soil, well-drained and enriched with old manure is best. Feed a balanced plant food like Vigoro. Delphiniums thrive in sun, yet prefer a cool climate.

CUTFLOWER VARIETIES:

Cliveden Beauty, Improved Belladonna. Light blue.

Bellamosum. Dark blue. Pkts. 15c.

LARGE-FLOWERED, TALL BEDDING VARIETIES:

Campbell's XXX Hybrids, with large flowers in all shades of blue and lavender-blue. Pkt. 25c.

Cardinale. Native scarlet larkspur. Pkt. 15c.

Wrexham. Hollyhock Flowered Strain; giant flowers in blue, white, and pink combinations. Pkt. 15c.

PACIFIC GIANTS (New). strain, the finest obtainable. Fully double, mildew-resistant

Black Knight. Darkest blues.

Blue Jay Series. Medium to dark blue.

Galahad Series. Enormous clear white, individual flowers

often 3 inches across

Guinevere Series. Pinkish lavender shades.
Round Table Series. Originator's cross-pollinated seed, containing all the colors and shades ever obtained.
Summer Skies Series. Light blue, white bee.
All Shades Mixed and Separate Colors. Pkt. 50c.

Dianthus

DIANTHUS, Annual Pinks. Sun.

Shades of red, pink, crimson and white; 1 foot. Sow February to May. Germination period 5 to 10 days.

to May. Germination period 5 to 10 days.

HEDDEWIGI LACINIATUS (JAPANESE PINK) VARIETIES:
Crimson Belle. Single crimson.

Heddensis, Westwood Beauty. A new type resulting from cross between Heddewigi x chinensis. Shades of crimson and scarlet. Pkt. 25c.

Salmon Queen. Single salmon.

Snowdrift. Double pure white.
Splendens. Large deep red with white eye.
Single or Double Mixed. Pkt. 10c.
CHINENSIS (CHINESE PINK) VARIETIES (flowers smaller, in clusters like Sweet William):
Double Mixed. Pkt. 10c.

DIANTHUS, Perennial Pinks. Per. dy-an'-thus. Sun.


Pink, rose, red, white; fragrant. Sow February to May. Germination period $1\ \text{to}\ 2$ weeks.

PLUMARIUS (CLOVE PINK) VARIETIES. 11/2 feet: Cyclops Mixed. Large-eyed single flowers in rich colors—the best ever-blooming Pink.

Semperflorens Double Mixed. Pkt. 10c.



DIANTHUS CYCLOPS



DIGITALIS, SHIRLEY HYBRIDS

DIANTHUS, Rock-Garden Species. Full sun.
DIANTHUS, ROCK-GARDEN SPECIES. Full sun.
Allwoodii Alpinus. New; 4 to 6 inches; mixed colors. Pkt. 50c.
Caesius, Cheddar Pink. Pink with tufty 3-inch foliage and 6-inch stems. Pkt. 10c.
Deltoides, Maiden Pink. Rose; 8 inches. Pkt. 15c.
Knappi. Clusters of clear golden yellow flowers. Pkt. 25c.
Loveliness. Large mauve flowers with lacinated petals and delicious fragrance. Pkt. 25c.
Winteri. Striking new pinks in pure colors, compact habit, very fragrant large flowers. Pkt. 25c.
Rock-Garden Rare Species Mixed. Including 25 kinds. Pkt. 25c.

DIDISCUS coeruleus, Blue Lace Flower. dy-dis'-cus. Sun. Soft blue, tiny tubular flowers forming lacy heads on long stems for bouquets; 2½ feet. Sow February to May. Germination period 2 weeks. Pkt. 10c.

DIGITALIS, Foxglove. Bien. and Per. di-ji-tal'-is. Shade. Pink, purple, white, large open-tubed flowers in tall, erect spikes; 4 feet. Sow by April for certain flowers the following Spring. Germination period 10 to 15 days.

Giant Shirley Hybrids Mixed. Biennial. Pkt. 10c.

Lutzi. Salmon shades. Perennial. 4 feet. Pkt. 25c.

DIMORPHOTHECA, African Daisy. dy-mor-foth'-eka. Sun. Orange, yellow, salmon and white, large daisy flowers, unusually brilliant for bedding in all seasons; 1 foot. Sow any time. Germination period 10 to 20 days.

Aurantiaca: Orange. Yellow.
Glistening White. Pkt. 15c.
Single Hybrids Mixed. Pkt. 10c.

Double Hybrids Mixed. Pkt. 15c.

DIMORPHOTHECA. Per. Sun.
Ecklonis. White, blue center, with mauve reverse, flowers 3 inches across; blooms through Winter until Summer. Sow any time; 2 feet. Germination period 2 to 3 weeks.

DUSTY MILLER, Centaurea sy. Per. Sun or partial shade.
Candidissima. Thick silvery-white foliage; 10 inches.
Gymnocarpa. Grey foliage; 20 inches. Sow January to May.
Germination period 2 to 4 weeks. Pkt. 10c.

ENGLISH DAISY. See Bellis.

ESCHSCHOLTZIA, California Poppy. esholt'-zi-a.

Orange, crimson, rose, yellow, and white, showy, glossypetalled flowers for bedding, ground cover on vacant lots, and
bouquets (cut the flowers early, before they open); 1 foot.
Sow August to March. Germination period 10 days.

Aurantiaca. Orange (true native poppy). Lb. \$5.00; ½ lb. \$1.35:

Aurantiaca. Orange (true native poppy). Lb. oz. 50c; ½ oz. 30c. Ballet Girl. Carmine outside, cream inside. Bridesmaid. Cream-pink. Cherry Ripe. Semi-double cherry red. Golden West. Yellow with orange center. Lovely. Salmon rose. Purple Glow. Scarlet Beauty. Best bright red, single. White

White.

Separate Colors above 15c.

Hybrida Mixed. All new and unusual shades. Pkt. 15c

Monarch Ari Shades. Lovely, semi-double mixture. Pkt. 25c. Sweetheart. New shade, rich salmon-rose on cream, fully double; plants dwarf and compact. Pkt. 15c.

EUPHORBIA heterophylla, Annual Poinsettia. you-for'-bi-a. Sun. Showy orange-red bracts (as in the Perennial Poinsettia) make this an interesting Summer and Fall bedding annual; 3 feet. Sow March to June. Germination period 10 days. Pkt.

EUPHORBIA Variegata. Snow on the Mountain. Sun.
Ornamental foliage annual, with distinct white and green
leaves, for beds or mixed bouquets. Sow March to June.
Germination period 2 to 3 weeks. Pkt. 10c.

FEVERFEW. See Matricaria capensis.

FLAG OF SPAIN VINE. See Mina lobata.

FORGET-ME-NOT. See Myosotis.

FOUR O'CLOCK, Mirabilis; Marvel of Peru. Per. Sun.
Red, pink, white, yellow flowers opening in afternoon, on bushy plants; may be grown as annual. Sow October to April. Germination period 2 weeks.

Dwarf Mixed. 1 foot.
Tall Mixed. 2½ feet. Pkt. 15c.

FOXGLOVE. See Digitalis.

FUCHSIA. Per. Shade.

Intriguing pendant flowers in shades of white through lavender, pink, rose, red and purple; in constant bloom from May to cold weather. Many interesting forms may result from sowing seed. Seed very fine. Sow in pots March or April. Germination slow.

Double and Single Mixed. Pkt. 50c.

Gaillardia

GAILLARDIA grandiflora. Per. gay-lar'-di-a. Sun.
Red and yellow, very large daisies, blooming all Summer and Fall; 3 feet. Sow September to April.
Burgundy. Deep all red.
Dazzler. Yellow with maroon center.
Goblin. Dwarf; 1 foot; yellow, red border.
Portola Hybrids. Semi-double orange-and-red.
Tangering. Hybrids bade: copper-orange. Plrt. 150.

Tangerine. Unusual new shade; copper-orange. Pkt. 15c.



FUCHSIA



GERANIUM ZONALE

GAILLARDIA, Annual Basket Flower. Sun.

Annual Gaillardia gives you at least six months of bloom. Red, yellow and red-and-yellow large, profuse-blooming daisies; 2 foot. Sow January to April. Germination period 2 to 3 weeks.

Indian Chief. Bronzy-red.

Picta. Single Mixed.

Lorenziana, Double Mixed. Lovely. Pkt. 15c.

GAZANIA splendens hybrida grandiflora. Per. Sun.

African Border Daisy. ga-zay'-ni-a.

Bronze, red, orange, yellow, cream, and white, showy, long-stemmed daisy-flowers with brown or yellow spots about the centers, on low-foliaged edging or bedding plants. Sow September to March for bloom first Summer. New Hybrids Mixed. Pkt. 15c.

GERANIUM zonale. Sun.


Brilliant orange, red, salmon, pink and white single flowers in large heads on somewhat tender plant for bedding and pots. Sow April to July. Germination period 30 to 40 days. Large-flowered Mixed. Pkt. 50c.

THE GLOBE HUMMINGBIRD FEEDER

A well made, automatic feeder, a sure attraction to the birds. Ant and bee proof, holds 1 pint of syrup. Height, with hanger, 21 inches. Spread 71/2 inches.

PÓSTPAID, \$4.95





GERBERA, TRANSVAAL DAISY

GERBERA jamesoni, Transvaal Daisy. Per. ger-ber-a. Sun.
Almost every conceivable shade except blue and purple is found in these long-stemmed, large-flowered African Daisies for beds and bouquets requiring warm, well-drained soil; 2 feet. Sow any time. Keep crown above soil surface. Germination period 2 weeks. New Giant Mixture. Pkt, 50c.

Scarlet, yellow, and orange, semi-double rose-like flowers, on long stems in Spring and Summer, for beds and bouquets; 2 feet. Sow July to September. Germination period 3 weeks.

Mrs. Bradshaw. Scarlet-red.

Lady Stratheden. Bright yellow. Pkt. 15c.

Prince of Orange. Semi-double orange. Pkt. 15c.

Natives, easily and quickly grown. Sow November to May. Germination period 10 days.

Capitata (Thimble Flower, 2 feet), with lavender-blue flowers in globular heads on long stems. Oz. 60c; Pkt. 10c.

Tricolor (Bird's Eyes, 1 foot), with lilac flowers spotted yellow and purple in center. Oz. 55c; Pkt. 10c.

Micrantha (Fairy Stars), with tiny flowers on neat 6-inch plants for ground cover, rockery, or cut, for miniature bouquets, in a mixture of salmon, pink, copper, yellow and cream. 1/4 oz. 35c; Pkt. 10c.

GLOBE AMARANTH, Gomphrena. Sun.
Purplish-red, pink, white, and orange clover-like everlasting flowers; make showy beds; 1 foot. Sow February to May. Germination period 2 weeks. Purple; Orange; Mixed. Pkt. 10c.

GODETIA. go-dee'-she-a.

Pink, rose, red and white, large satiny flowers for showy beds in sun or partial shade, and bouquets (all the buds open in water). Sow November to May. Germination period 2 weeks. HALF-DWARF. 1½ feet; flowers in clusters: Duke of York. Rich scarlet, edged white.

Duke of York. Rich scarlet, edged white.

Kelvedon Glory. Salmon-apricot.

Sybil Sherwood. Soft salmon-pink. We offer both single—
Pkt. 10c—and double—Pkt. 15c.

White Swan. Large, pure white.

Double Azalea-flowered Mixed. ½ oz. \$1.00; ½ oz. 35c; Pkt. 10c.

TALL. 2½ feet; double flowers in spikes:

Carmine Improved.

Rosy Morn. Bright pink.

Campbell's Exquisite Mixture. ½ oz. 80c; Pkt. 10c.

GYPSOPHILA elegans, Baby's Breath. jip-sof'-ill-a. Sun. White, pink, or red, dainty flowers in airy clusters for mixing in bouquets; 2 feet. Sow any time. Germination period 10 to 14 days. Grandiflora Alba, white; Pink; Crimson. Pkt. 15c.

GYPSOPHILA paniculata. Per. Sun.

Double, tinier flowers than the annual, ideal for bouquets and mixing, all Summer and Fall, on large, bushy plants; 3 feet. Sow October to May. Germination period 2 weeks.

Double Snow White: Pacifica Pale pink, blooms earlier. Pkt.

HELIANTHUS, Sunflower. hee-li-an'-thus. Sun.

Yellow, orange, bronze-red, large daisy flowers, showy for backgrounds. Sow December to April. Germination period 10 to 14 days.

Russian. (10 feet), gigantic single, with edible seeds. Oz. 25c;

Pkt. 10c.

Maroon Prince. Large red; 4 feet. Pkt. 10c.

Miniature. (5 feet); small red and brown. Oz. 75c; Pkt. 10c.

Sun Gold. New; improved Chrysanthemum-flowered; 4 feet; large, fully-double golden flowers. 1/4 oz. 25c; Pkt. 10c.

HELICHRYSUM, **Strawflower**. hell-i-cry'-sum. Sun. Yellows, pinks, red and whites; large, very double ever-lastings, showy in beds and backgrounds; 3 feet. Sow October to May. Germination period 2 weeks. **All Colors Mixed**. Pkt. 10c.

OTHER EVERLASTING FLOWERS

Physalis Physalis Lunaria Gomphrena Statice Gypsophila paniculata

Acroclinium Grasses Catananche Helichrysum

HELIOTROPE. Per. Sun or shade.

Blue and purple shades, in fragrant clusters, easily grown:

2 to 6 feet. Sow February to May for bloom first year. Germination period 3 weeks.

King of the Blacks. Deep purple.

Mammoth Mixed. Pkt. 15c.

HERBS. See page 34.

HEUCHERA, Coral Bells. Per. hew-ker-a. Sun or part shade. Pink, rose, and red, tiny bell-like flowers in clusters, with attractive low foliage, for rockeries and borders in sun or partial shade; 1½ to 2 feet. Sow July to March. **Sanguinea**, coral red. **Hybrids**, shades from pink to crimson. Large Pkts. 35c; Small Pkts. 15c.

HONESTY. See Lunaria.

HIBISCUS, Mallow Marvels. Per. hy-bis'-kus. Sun. Pink, red, white, large flowers, 6 inches across; the true herbaceous Hibiscus, quite hardy anywhere; 4 feet. Sow February to May for bloom first season. Germination period 2 to 4 weeks. Mixed. Pkt. 25c.

Hollyhocks

HOLLYHOCK. Per. Sun.

Pink, salmon, red, and yellow shades, in stately spikes ideal for backgrounds; 5 to 6 feet. Sow February to August. Germination period 3 weeks.


Chater's Double, Newport Pink, Rose, Salmon, Crimson, Chamois, Scarlet, Yellow, White, Mixed. Pkt. 15c; 3 for 35c.

Triumph Double Mixed. Pkt. 15c.


Single Mixed. Pkt. 10c.

ANNUAL HOLLYHOCK

Indian Spring. Rose-pink shades; semi-double. It months, so may be grown as an annual. Pkt. 15c. Blooms in 6



HIBISCUS, MALLOW MARVEL



HOLLYHOCK, CHATER'S DOUBLE

HUNNEMANNIA fumariaefolia, Mexican Tulip Poppy. Per. hun-nee-man'-i-a. Sun.

Bright yellow, cup-shaped flowers; 3 inches across on long stems, keeping well when cut; 2 feet. Sow November to April. Germination period 2 weeks.

Sunlite. Improved type. Pkt. 15c.

HYACINTH BEAN. See Dolichos.

IBERIS gibraltarica, Perennial Candytuft. Per. Sun.

Lilac, turning white, small flowers in clusters on spreading, sunny rockery; perennial in Spring; 8 inches. Sow January to May. 1/8 oz. 25c; Pkt. 10c.

IMPATIENS. Per. Shade.

New Hybrids. Attractive Summer flowers, white through pink, rose, and salmon to flame-red. Pkt. 50c.

IPOMOEA. See Morning Glories.

IXIOLIRION Ledebourii. Siberian Blue Bells. Per. Sun.

Deep blue tubular bells on 12 to 15-inch stems. Plant in the sun in August or September for bloom in May. Excellent for cutting. Pkt. 25c.

JOB'S TEARS. See Coix Lachrymae.

JOHNNY-JUMP-UP. See under Viola.

KALE, Ornamental. See Cabbage, Flowering.

KOCHIA childsii, Summer Cypress. Koh'-ki-a. Sun. Bright green feathery foliage, forming compact bushes quickly, that turn fiery red in Fall; 2 to 4 feet. Sow January to June. Germination period 10 days. Pkt. 10c.



LARKSPUR, GIANT IMPERIAL

LANTANA. Per. Sun.

Red, pink, lavender, orange, and yellow flowers in verbenalike clusters; bloom the first year from seed and form shrubs. Sow January to May:

Dwarf Hybrids. 1 to 2 feet.

Tall. 3 to 5 feet. Pkt. 25c.

Larkspur

LARKSPUR, Annual Delphinium. Sun or partial shade.

Pink, red, blue, lilac, and white; ideal bedding and cutting flowers; 3 to 5 feet. Sow September to March. Germination period 4 to 8 weeks.

Cultural Note: Larkspurs are cool weather plants and are best sown in the Fall, where they are to remain. In cold climates, November sowing is ideal, since a Winter chilling aids good germination in early Spring.

GIANT IMPERIAL. Tall upright type, branching at the base to yield long stems for cutting:

Blue Bell. Clear azure blue.

Blue Spire. Rich deep blue.

Carmine King. Rose-red.

Coral King. New deep coral-pink.

Pink Perfection (New). Best pure pink. 15c.

Miss California. Salmon-pink.

Lilac Spire. Deep lavender.

White King. New erect erect pure white.

Giant Imperial Mixed. Oz. \$1.80; ¼ oz. 50c; Pkt. 10c (5 for 40c). All separate colors and mixed.

Mixed. Oz. \$1.80; ¼ oz. 50c; Pkt. 10c.

SUPER MAJESTIC (Newest type). Usually reaches a height of 5 feet; large blooms on long branches.

Rose-Pink, Lavender, White, Mixed. Pkt. 15c.

LAVATERA assurgentiflora, California Windbreak. Per. Sun. Rose-pink flowers on fast-growing shrub-like perennial; ever-green in mild climates; kills out in severe; 10 feet. Sow March Germination period 3 to 5 weeks. Pkt. 10c.

LAVATERA splendens, Annual Mallow. la-va-tee'-ra. Sun. Rose-pink, large flowers on bushy plant for show and cut; 2½ feet. Sow November to March. Germination period 2 to 5 weeks. Rosea, best rose. Pkt. 10c.

LAVENDER, Lavandula vera. Per. La-van'-dew-la. Sun.
Small lavender flowers, delightfully fragrant; a favorite for drying; 2 feet. Sow October to March. Germination period 30 days.

Munstead Strain. Dwarf (1 foot); deep lavender. Pkt. 15c. True English. 2 feet. Pkt. 10c.

LAYIA elegans, Tidy Tips. lay'-i-a. Sun.
Yellow daisy, petals edged with creamy-white, for quick Spring show and cutting; one of the finest California natives; 1½ feet. Sow October to April. Pkt. 10c.

LEMON VERBENA, Aloysia citriodora. Per. Sun or part shade Fragrant-leaved hardy shrub; 6 to 10 feet. Sow February to May. Pkt. 15c.

LEPTOSIPHON. See Gilia micrantha and liniflora.

LEPTOSYNE maritima, Sea Dahlia. Per. Sun.

Yellow flowers fine for cutting; native perennial blooming in 90 days; 2 feet. Sow September to April. Germination period 2 weeks. Pkt. 10c.

LEPTOSYNE stillmanni, Wild Coreopsis. Sun.


Yellow daisy-flowers for cutting six weeks after sowing; California wildflower; 1½ feet. Sow October to April. Germination period 10 days. Single. Pkt. 15c.

Double, Golden Rosette. Large yellow. Pkt. 15c.



Kills the roots of even the worst weed pests, Poison Ivy, Poison Oak, Bindweed, Jap Honeysuckle, Canada Thistle, etc. Weedicide won't sterilize or damage soil.

Thompson's DEE-CEE-PEE



AURATUM LILY

Lilies from Seed

Growing lily bulbs from seed is becoming a popular hobby with amateur gardeners. Really fine bulbs can be raised from seed with a little patience and care. Seeds should be sown in flats of soil prepared by mixing good garden loam with equal parts of sand and leaf mold or peat, covering with ¼-inch of sifted mixture. Press firmly and soak the flat in water, after which it is placed in a shady place to await germination. Seed may be sown at any time. The little plants first make root growth and bulbs before showing any impressive top growth. They should be transplanted the second year into larger flats of prepared soil with a little bone meal or to specially prepared beds outdoors. The following year they should be large enough to go into the garden. Species germinating readily are marked with an asterisk (*) before the name.

LILIES, True Lilium Species. Per. lil'-i-um.

Part shade or sun if root area is cool and moist.

Auratum var. platyphyllum. Gold-banded Lily. Outspread white petals, each striped with a yellow bond and spotted with crimson; fragrant; 4 to 7 feet. Blooms August-September. Pkt. 25c.

Bellingham Hybrids. Most desirable for garden color and cutting; recurve flowers, yellow to scarlet, spotted brown; height 4 to 6 feet. Plant the seed in August for bloom in the Summer. Pkt. 25c.

Summer. Pkt. 25c.

Candidum, Madonna Lily. Probably the most popular of all Lilies. 8 to 10 lovely white blooms grow in a stately spire on a strong, straight stem 4 to 6 feet tall. Plant March or April outdoors, February under glass. Germination period 3 to 6 weeks. Flower in June. Pkt. 25c.

*Formosanum, Fall Regal Lily. White trumpets shaded externally with violet; fragrant; 4-6 feet. Bloom September-October (first season if sown early). Pkt. 25c.

*Henryi, "Orange Speciosum." Recurved golden yellow petals, spotted brown; one of the hardiest and best for cutting; 5-8 feet. Bloom August-September. Pkt. 25c.

GROW YOUR OWN EASTER LILIES

*Longiflorum Praecox White Queen, Easter Lily. Since the war Easter Lilies have been scarce. This variety is relatively easy to grow and preferable to the bulbs now on the market. Has large, long, pure white trumpets; an improved form, taller than the type, and fine for cutting and garden shows, as well as Easter forcing; 2 feet. Blooms in one year from time of seed sowing. Pkt. 35c.

*Regale, Regal Lily. The most popular lily in America, with large golden-throated white open trumpets tinted pink externally; very fragrant; easily forced in pots or grown outdoors; 4 feet. Bloom June-July. Pkt. 25c.

Shuksan. The best of the late Dr. David Griffith's hybrids; recurved rich orange, dotted black petals; vigorous and handsome, with many flowers in bloom at once; 4-5 feet. Bloom July. Pkt. 25c.

*Tenuifolium, Siberian Coral Lily. The most popular dwarf lily for the garden and rockery; 10 to 20 dainty bright scarlet, nodding reflexed flowers to a spike; 18 inches. May-June. Pkt. 15c.

June. Pkt. 15c.
Tenuifolium Golden Gleam. Lovely new bright yellow form of the above. Pkt. 25c.
Washingtonianum, Mt. Hood Lily. Tubular white flowers, spotted purple in the throat, fragrant; 3-6 feet. Bloom June-July. Pkt. 25c.

willmottiae. Recurved orange-red petals; grass-like foliage; one of the hardiest and most dependable species; 4-5 feet. Bloom July. Pkt. 25c.

LIMNANTHES douglasi. Meadow Foam. Partial shade.

White-and-yellow, fragrant flowers, effective in beds or edgings, in moist partial shade; native; 6 inches. Sow November to April. Pkt. 10c.

LINARIA, Toad Flax, Baby Snapdragon. ly-nay'-ri-a. Sun. Lavender, purple, pink, chamois, yellow, red, etc., miniature snapdragon-flowers, unusually fine for beds, ground covers, or mixed bouquets, in Winter and Spring. Sow September to February.

Annual

MAROCCANA HYBRIDS. 15 inches:
Hybrid Mixture. Oz. \$1.75; ½ oz. 50c; Pkt. 10c.
DWARF COMPACT TYPE. 8 inches:
Fairy Bouquet. New, bushy type, with large flowers in pastel shade. ½ oz. \$1.60; ½ oz. 50c; Pkt. 10c.
Fairy Bridesmaid. New lemon yellow. Pkt. 15c.

LINUM. Per. ly'-um. Sun.
Sky-blue or yellow flowers, profusely produced in Spring and Summer; blooms in 4 months; 2½ feet. Sow January to May. Germination period 3 to 4 weeks.
Flavum. Showy clear yellow.
Perenne. Light blue.
Narbonense. Deep azure blue, compact. Pkts. 15c.

LINUM grandiflorum rubrum, Scarlet Flax. Sun. Bright scarlet flowers, on slender graceful plant, in all seasons; particularly useful in Winter; $1\frac{1}{2}$ to $2\frac{1}{2}$ feet. Sow any month. Germination period two weeks. Oz. \$1.00; Pkt. 10c.

LOBELIA erinus compacta. lo-beel'-ia.

Blue bedding and edging plants; 4 inches. Sow January to May. Germination period 10 to 15 days.

Cambridge Blue. Fine light blue.

Crystal Palace. Dark blue, bronzy foliage.

Emperor William. Bright-blue, green foliage.

Trailing Sapphire. Pkt. 15c.


LOBELIA cardinalis, Cardinal Flower. Per. Sun or shade. Fiery scarlet flowers in erect spikes with bronzy-green foliage; 2 feet. Sow January to March. Pkt. 15c.

LUNARIA, Honesty, Money Plant. loon-ar'-ia. Sun.
Round, flat, silvery transparent seed-pods, to dry for Winter
decoration; 2 feet. Sow October to May. Germination period
2 to 3 weeks. Pkt. 10c.


LUPINUS, Lupine. lu-pin-us, Sun. Blue, pink, and white pea-flowers in clusters, for beds and bouquets; native. Sow December to April. Germination period

DWARF VARIETIES. 1 foot:
Nanus. California native, deep blue. For rock garden.
Texensis (Texas Blue Bonnet). Clear blue. Oz. 50c; Pkt. 10c.
TALL VARIETIES. 3 feet:
Hartwegii Giant King type. Large flowers and spikes in shades of blue and white. Deep Blue. Mixed. Oz. \$1.00;

Pkt. 15c. Russell Lupins. Long, closely furnished spikes flower in a great variety of rich colors—deep yellows, oranges, reds, and brilliant bi-colors never seen in Lupins before. The florets are large, with flat fan-like back-standards, and unlike all other Lupins, most of the spikes retain their florets throughout the whole period of development. Awarded the Royal Horticultural Society's Gold Medal. June, 1937. Pkt. 25c.



LINARIA HYBRIDS



MARIGOLD PYGMY

MALLOW MARVELS. See Hibiscus.

MARGUERITE, Annual. See Chrysanthemum Nivelli.

MATRICARIA, Feverfew. Per. mat-ri-cay'-ri-a. Sun. White or yellow, double flowers in clusters for beds, borders, or cutting, all Summer and Fall. Sow December to April. Germination period 10 to 15 days.

CAPENSIS (Feverfew). Semi-double white; 2 feet.

EXIMIA. Fully double type; 1 foot.

Golden Ball. Golden yellow.

Snowball. Pure white. Pkt. 10c.

MATTHIOLA bicornis, Evening-scented Stock. ma-thy'-o-la.

Mauve, small, single flowers, valued for their evening fragrance; 2 feet. Sow January to July. Try them broadcast in a sunny corner near your outdoor living room. Pkt. 10c.

MEXICAN POPPY. See Hunnemannia.

MEXICAN ZINNIA. See Zinnia Haageana. MIGNONETTE, Reseda odorata. re-zee'-da. Sun.

Deliciously fragrant small flowers in spikes; 1 foot. Sow any month. Germination period 2 weeks.

Goliath Red. Large red spikes. Pkt. 10c.

Sweet Mignonette. The old-fashioned favorite. Pkt. 10c.

MIMULUS. mim'-you-lus. Partial shade, sun.

Tigrinus, Monkey Flower. White, yellow, orange, copper and red, showy spotted flowers for partial shade; 10 inches. Sow March to June. Germination period 5 to 10 days. Queen's Prize Mixed. Pkt, 15c.

MARIGOLD, Tagetes. ta-gee'-teez. Sun.

ARIGOLD, Tagetes. ta-gee'-teez. Sun.

Orange, yellow, brown, striped, spotted; splendid for Summer and Fall bedding and cutting. Sow January to July. Germination period 5 to 10 days.

Cultural Note: The African Marigolds are heavy feeders, and thrive in rich soil, well-watered. The French Marigolds are, however, very light feeders, and bloom best kept on the dry side, in unfertilized soils.

AFRICAN. Tall double fistulosa; 2½ feet:

Orange Prince All-Double.

Lemon Queen All-double.

All-Double Mixed. Above 2 varieties. Pkt. 10c.

CARNATION TYPE:

Guinea-Gold. Loose-petalled orange.

Yellow Supreme. Loose-petalled yellow.

Gigantea, Sunset Giants. New giant-flowered type.

Orange Sunset. Deep orange. Mixed.

Burpee Gold. Improved odorless-foliaged Marigold, bright orange similar to Guinea-Gold. All above, Pkt., 10c.

CHRYSANTHEMUM-FLOWERED. New type, with compact head of small incurved petals:

head of small incurved petals:

Early Sunshine. Bright lemon-yellow.

Golden Bedder. Early, dwarf, yellow.

Hybrids Mixed. All shades of orange and yellow. Pkt. 10c.

Goldsmith. Soft golden-orange. Yellowstone. A clear rich yellow counterpart of Goldsmith, 3 to 5 feet tall, with 2½-inch flowers. All America '42. 'Pkt. 15c. FRENCH. Tall sorts, 3 feet: Tall Double Harmony Hybrids. Mixed. Double Mixed. All colors.

FRENCH. Dwarf sorts, 10 inches or less:
Butterball. All America Winner. Soft butter yellow, lightly tipped with maroon on the center petals. The 6 to 8-inch mound-like plants are literally covered with 2-inch blooms of unusual yellow. Very early flowering. Butterball produces a blanket of color for many weeks.

Harmony. Deep orange with maroon collar of broad petals; very even habit.

Harmony Hybrids. Showy combinations of gold, yellow, and maroon.

Scarlet Glow. Brightest red of all Dwarf-Double Marigolds.
Spotlight. New red, yellow center.
Sunkist. Rich orange companion to Marigold Butterball, delightful for borders or pots. Its 6-8 inch plants are early and free blooming.

free blooming.
Yellow Pygmy. New soft lemon-yellow, very dwarf and compact; splendid Summer edging.
Monarch Strain. Large rich-colored mixture. Pkt. 10c.
Spry. Extra dwarf French type; outer petals maroon, surrounding center of crested light orange petals. Pkt. 10c.
Tagetes signata pumila. Bright yellow, tiny single flowers in great profusion on compact bushes for edgings; 8 inches.
All French Marigolds, Pkts. 10c.

Cymbidium Orchids

These are spectacular, large flowered, spray Orchids which are easly grown in pots or shaded beds in Southern California gardens, or as hot house plants elsewhere. They make clumps of grassy foliage 2 to 4 feet high, and in Winter and Spring carry great sprays, from 1 to 3 feet long, of most beautiful Orchids in tones of pink, lavender, yellow, white, bronze, chartreuse and delicate green. The colors of hybrids are variable, and even in the same variety, as listed below, there will be a rather wide range of color. We cannot guarantee a specific shade, but they will all be beautiful.

We offer the very finest hybrids, true collectors items, including the rare and beautiful crosses of:

Alexander Westenbirt F.C.C.

Pauwelsi-Comte de Hemptine F.C.C.

Ceres-F.C. Hanbury F.C.C.

Plants are available in various sizes and prices. Growing back bulbs of the choicer crosses beginning at \$15.00.

The following Standard Cymbidium Hybrids, of the best quality, are strong growers and reliable bloomers. We can supply plants of varying sizes and prices. Back Bulbs with sturdy vegetative growth are priced at \$5.00.

ATRICE. Shimmering pale yellow-green English hybrid. Blooms mid-season to late. BEATRICE.

BUTTERFLY. Usually comes in shades of yellows or bronze, occasionally a pink tone appears. (Insigne x Lowio-grandiflorum.) Mid-season to late.


CANARY. Varies from clear yellow to buff, with a striking red lip. (Pauwelsi x Butterfly.) Mid-season.

APELLA. Cream to rose pink, large with many flowers to the spray. (Pauwelsi x Wiganianum.) Mid-season.

HUGH EVANS. Usually greenish gold with bright red lip. Very free flowering and lovely. (Lowianum x Curlew.) Mid-season

MADELINE. Quite variable in color, from yellow to lavender pink. (Insigne x Pauwelsi.) Mid-season.

PAUWELSI. Light creamy yellow to rich bronze. A very strong grower with exceptionally long bloom spikes. Mid-season.



FRENCH MARIGOLD



CYMBIDIUM ORCHID, PAUWELSI

PETREL. Gleaming golden yellow. (Garnet x Pauwelsi.) Late. **SCHLEGELI.** Usually in pink tones. (Insigne x Wiganianum.)

OSMUNDINE FIBRE. For planting Cattleya orchids. Pack carefully and tightly around the roots. No soil required Per lb., \$1.00. Postpaid.

NASTURTIUM, Tropaeolum. tro-pee'-o-lum. Sun, part shade. Bright flowers, very easily grown; the dwarf sorts for edgings in sun or partial shade, the talls covering low fences, or

trailing as a ground cover, and both furnishing bouquets. Sow any time. Germination period 10 to 14 days.

DOUBLE-FLOWERING GLEAM HYBRIDS. Spreading type: Golden. Large, fragrant golden yellow flowers in profusion.

Mahogany; Moon, soft creamy yellow; Orange; Salmon; Scar-

lef.
Gleam Hybrids. Cream yellow, orange, scarlet, crimson, yellow spotted red, etc. Mixed.
All above, oz. 50c; ½ oz. 30c; Pkt. 15c.
DOUBLE DWARFS. Gem Type; 10 inches:
Golden Globe. New double, rich yellow dwarf.
Scarlet Gem. Vivid red, green leaves.
Gem Mixture. All colors. Oz. 35c; Pkt. 10c.
SINGLES.

SINGLES:

Dwarf. Mixed. All colors; 10 inches. Oz. 45c; Pkt. 10c. Tall or Trailing, California Giants Mixed. Oz. 45c; ½ oz. 25c; Pkt. 10c.

NEMESIA. ne-mee'-she-a. Sun.

Orange, yellow, rose, scarlet flowers in clusters; for showy beds and borders in Winter and Spring. Sow October to April. Germination period 20 days.

Strumosa grandiflora Suttoni. Large flowered blue, orange, rose, scarlet, mixed. 1 foot. Pkt. 10c.

Compacta Blue Gem. Splendid forget-me-not-like bedder; 7 inches. Pkt. 10c.

NICOTIANA affinis, Sweet-scented Tobacco Plant. Nik-ko-she-ain'-a. Sun, light shade.

Sun or partial shade. Sun or partial snade. White, pink, lavender, and crimson, large, open flowers with long tubes, very fragrant at night; easily grown, quick and continuous-flowering; 2 to 4 feet. Sow where to remain. October to June. Germination period 10 days.

Waxy White; Crimson King; Pink Shades; Hybrids Mixed. All colors. Pkt. 10c

All colors. Pkt. 10c.

NEMOPHILA insignis, Baby Blue Eyes. nem-off'-i-la. Sky-blue or white cups; California native; for beds and bulb-cover in sun or partial shade; 6 inches. Sow where to remain. October to May. Germination period 7 to 10 days. Clear Blue. Oz. 80c; ½ oz. 45c; Pkt. 10c.

NEPETA mussini. Per. nep'-e-ta. Sun or shade.
Small blue flowers; grey foliage, ideal for rockeries and edgings; 1 foot. Sow January to April. Germination period 18 days. Pkt. 15c.

NIEREMBERGIA hippomanica, Dwarf Cup Flower. Per. Sun.

near-em-berj'-ia.

Lavender-blue. Open-cup flowers cover the compact, dwarf (5-inch) bushes all Spring and Summer. One of the best new flowers! Sow January to April for bloom first year. Pkt. 25c.

Purple Robe. Like the pale lavender N. hippomanica, in its compact growth, but its flowers are of deep violet, unfading in the sun. Purple Robe blooms in 15 weeks from sowing, prefers sandy soil and full sun, a splendid bedding and rock garden subject. Pkt. 25c.

NIGELLA, Miss Jekyll, Love-in-a-Mist. ny-jell'-a. Sun. Semi-double, blue flowers, nestling in fine, feathery foliage; 1½ feet. Sow February to May. Germination period 2 weeks. Corn-flower blue. Pkt. 15c.

OENOTHERA lamarckiana, Evening Primrose. Bien.

ee-noth'-er-a. Sun.

Yellow, large flowers, opening at dusk and fragrant in the evening; easily-grown background plant in sun or semi-shade; 4 feet. Sow December to March. Germination period 30 days Pkt. 10c.

ORCHIDS. See page 16.

ORTHOCARPUS purpurascens, Owl's Clover. Sun. California native; pink blooms. Sow late Fall. Pkt. 10c.

PAINTED DAISY. See Chrysanthemum, Annual.

Pansies

PANSY. Sun or part shade.
Reds, purples, blues, yellow, and white; unsurpassed for low beds and edgings; 6 inches. Sow July to October for Winter, and until March for Spring and Summer. Germination period 10 to 15 days.

STEELE'S BUTTERFLY HYBRIDS. This is a new type of Pansy developed from Steele's famous Mastodon Jumbo strain. The petals of the huge flowers are ruffled, swirled and marked in a fascinating manner. The Butterflies come in pastel combinations of lavender, pink, soft blues, cream, soft yellow, and golden tan. Pkt. 75c.

Steele's Mastodon Jumbo Mixture. A superb strain of American grown pansies; all giant flowered in the widest known color range. Very fine. 1/16 oz. \$2.00; Pkt. 50c.

Super Maple Leaf Giants. Large flowered strain composed of light colors only. 1/16 oz. \$1.50; Pkt. 50c.

Engelmanns Giants. Large flowers in all colors but blue and red, never solid, as each flower has a lighter tone around the edges of petals. 1/16 oz. \$2.25; Pkt. 50c.

Roggli Swiss Giants (Originator's Seed). Large flowers with long stems. Plants are compact and early flowering. Contains both light and dark shades. Mixed colors. 1/16 oz. \$2.00; Pkt. 50c.

Alpenglow. Rich red.

Berna. Rich purple.

Jungfrau. Pure white.

Gold Gelbe. Pure yellow.


Hohenfuer. Orange-red.

Lake of Thun. Deep blue.


Rheingold. Immense yellow with a dark center. Above packets, each color, 50c.

Blumlisalp. Clarke's Special Selection. A new Swiss Pansy with the rosy tints of sunrise in the Alps, from palest pink to raspberry-rose. Plant with white, blue or pink bulbs or azaleas for a lovely Spring garden effect. Pkt. \$1.25; ½ Pkt. 75c.

Geneva Giants. Compact growing plants with large flowers in a good color range. First flowers are small but as the blooming season advances flowers increase in size. 1/8 oz. \$1.50; Pkt. 25c.



PANSY, SWISS GIANT



RUFFLED PETUNIA,

Campbell's Highland Giants. Splendid bedding mixture, with fine colors and huge sized flowers. Pkt. 50c.

Baby Delight. Lovely little Pansy with flowers smaller than Violas, clear light blue with wavy petals. Dwarf, compact plants. Ideal for late Spring planting because plants withstand heat well. Flower in 70 days. Pkt. 25c.

PENSTEMON. Per. pen'-ste-mon. Sun.

Pink, scarlet, crimson, purple or white tubular flowers with flaring petals, in showy spikes. Plant in beds and borders. Sow August-November for bloom the same season. Germination 17 days.

Heterophyllus Blue Gem. Rich blue. 1 foot bedding variety. Sensation. The large flowered type. Good colors, fine for cutting.

Pink, Red, White or Mixed. 1/16 oz. 50c; Pkt. 15c.

Petunias

PETUNIA. Pe-too'-ni-a. Sum.

Pink, rose, red, lavender, blue purple, and white; unusually floriferous bedding plants, continuing in bloom from Spring to Winter. Sow January to July. Germination period 10 days Cultural Note: Mix seed with fine sand and sprinkle over surface of ready-moistened, finely-screened light soil-mixture in seed pans or flats. Cover with glass or damp burlap until seed sprouts; watering unnecessary if soil was properly moistened, although watering from below allowable. Remove cover ened, although watering from below allowable. Remove cover when first sprouts show.

DWARF COMPACT PETUNIAS

A group of petunias ranging in height from the miniatures of 6 inches to others no taller than 12 inches. All are compact, free flowering annuals suitable to edging annual beds and borders or in masses by themselves.

Nana compacta. Dwarf, ball-like plants, covered with blooms for a long season.

Rose Gem. Deep rose.

Violet Gem. Deep rose.
Violet Gem Improved. Rich violet blue.
White Gem. Clear white. All Pkts. 10c.

Nana compacta, Ruffled. Flowers attractively ruffled.
General Washington. Velvety red, blackish throat.
Martha Washington. Blush pink deepening to dark violet at throat. Pkt. 25c.

Mixed. Special mixture of the above varieties. Pkt. 25c.

Dwarf Bedding

Nana erecta. Dwarf plants averaging 9 to 12 inches in height.

Showy flowers.

Celestial Rose. Improved Rose of Heaven. Bright rose.

Cream Star. Warm cream, yellow throat. Pkt. 10c.

Heavenly Blue. Light silvery blue. Pkt. 10c.

INNOCENCE. A new white Petunia, as dwarf and compact as Snowball, with a fluffy, fringed flower like Lace Veil. Pkt. 25c.

Rosy Morn. Bright pink with white throat. Pkt. 10c. Salmon Supreme. Rich salmon pink. Pkt. 25c. Snowball. Pure white. Pkt. 10c. Violet Blue. Rich blue purple. Pkt. 15c. Mixed. Dwarf bedding varieties. Full color range. Pkt. 10c.

MEDIUM SPREADING PETUNIAS

Varieties in this group grow from one to two feet in height and have a tendency to spread out and develop masses of flowering stems. They are very showy when used in masses or as speci-mens placed among other plants. Long blooming season, keeping their freshness and vigor throughout the flowering period. Require little care and water.

Hybrida:
General Dodds. Velvety blood red. Pkt. 10c.
Howards Star. Deep purple with pure white star. Pkt. 10c.
Mars. Large, deepest velvety crimson. Pkt. 20c.
Violacea, Rich purple. Pkt. 10c.
Choice Mixed. Large single flowered. Pkt. 25c.
Formula Mixture. Blended to include every known color in Petunias. Pkt. 10c.

Hybrida Grandiflora. Pkts. 15c each.

Burgundy. Wine red. Elks' Pride. Popular. Velvety; dark Elks' purple blooms. White Cloud. Compact plants covered with pure white blooms.

Hybrida Pendula, Balcony Petunias. Popular spreading variety used extensively for masses of color in window boxes and in the front margins of borders, or in masses.

Blue, Dark blue purple.

Cornflower Blue. Light blue.

White.
Rose. Rose pink.
Mixed. Pkts. 15c each.

GIANT FLOWERED PETUNIAS Ruffled and Double

All vareities listed below are exceptionally large flowered, with the distinction of having either beautiful ruffled or fringed petals or extremely double flowers. They are lovely when planted in pots or tubs as specimen plants.

RUFFLED PETUNIAS:
Copper Red. Ruffled coppery red with dark throat.
Dainty Lady. Fringed, palest yellow with deeper throat.
Fluffy Ruffles Mixed. Ruffled and fringed, delightful colors.

GARDEN GIANTS. Dwarf ruffled, with a wide variety of bright color combinations on plants which develop into well-rounded mounds 12 to 15 inches high.

Glamour. Ruffled, luscious salmon rose.
Giants of California, Supreme Strain. Very ruffled, choice formula mixture.

Marilyn. Ruffled, rich salmon; veined throat.
Theodosia. Fringed, rosy pink, golden throat.
Ramona. Ruffled pink and rose shades.
Ruffled Monster Mixed. Huge, with darkly veined throats.

Pkt. 25c

All above varieties: Pkts. 25c each; 5 for \$1.00.

DOUBLES:

All Double America. Soft pink, carnation-type flowers, charm-

All Double America. Soft pink, carnation-type flowers, cnarming in pots. Pkt. 50c.

Colossal Shades of Rose. Silver Medal A.A.S. '46. Large flowered double rose in waved, ruffled and fringed petaled types. Color shades range from a few light and salmon-pinks to deep pinks and purplish-rose. 18 inches. Pkt. 50c.

Giant Double Fringed. A choice mixture producing 95% perfectly formed giant flowers including Giant Double Ruffled and Giant Double Fringed forms in a magnificent color range. Very choice. Pkt. 50c.

Mrs. Dwight D. Eisenhower. Large, double salmon blooms, on bushy, dwarf plants. An All America winner. Pkt. \$1.00.

PHACELIA. fe-see'-li-a.

Blue shades; native. Sow November to April. Germination

Blue shades; native. Sow November to April. Germination period 15 days.

Blue Plate (Viscida). 1 foot; with large brilliant blue flowers for bedding: ½ oz. 45c; Pkt. 10c.

Campanularia (California Blue Bell). 6 inches; gentian-blue bell-flowers for edging, flowering quickly. ½ oz. 35c; Pkt. 10c.

Tanacetifolia (Wild Heliotrope). 2 feet; mauve-blue cluster, good for bees. ½ oz. 25c; Pkt. 10c.


Whitlavia (Wild Canterbury Bell). 1 foot; dark blue bells in sun, or partly-shaded beds. ¼ oz. 35c; Pkt. 10c.






CAMELLIA FLOWERED TUBEROUS BEGONIA

In our mixture are indescribably lovely shades of pink, rose, yellow, orange, salmon, red and white. Pkt. 50c.



ANEMONE (De Caen Hybrids)
The blend of white, red, and blue shades makes a gay spring border. Pkt. 25c.




HELIANTHUS (Sun Gold)
An attractive dwarf double Sunflower. Pkt.
10c.




NIEREMBERGIA (Purple Robe)
Delightful for all-summer bloom. Pkt. 25c.

CAMPBELL SEED STORE

137 WEST COLORADO STREET PASADENA 1, CALIFORNIA



GOLDEN GLEAM LILY
An unusual Lily to dramatize your garden borders. It grows readily from seed. Pkt. 25c.




A CAMELLIA HYBRID

Interesting new varieties are grown from seed.

15 Seeds, \$1.00.



MARIGOLD YELLOWSTONE
The popular Chrysanthemum-flowered
type, for sunny fall bloom. Pkt. 15c.




GAILLARDIA LORENZIANA


A gay mixture of double annual Gaillardias which will give you at least 6 months of bloom. Pkt. 15c.

FUCHSIA HYBRIDS Our hybrids mixture includes fine and unusual double and single varieties, charming for long summer bloom in shady places. Pkt. 50c.






PANSY (Rheingold)
A life-size portrait of a Roggli's Swiss Giant Pansy. The seed, direct from Switzerland, is available in seven separate colors and an elite mixture. Pkt. 50c.



AQUILEGIA (Columbine)
Campbell's Hybrids are long-spurred in
lovely shades of blue, deep red, orange
and scarlet, white, rose-pink, and yellow. Delightful for naturalizing. All
colors mixed. Pkt. 25c.

GERBERA (Transvaal Daisy)
Striking new South African Hybrids. They are easily
grown and need little water. Pkt. 25c.




SWEET WILLIAM

A spicy, cld-fashioned perennial for borders and Summer bouquets. Single Mixed, Pkt. 10c.






COREOPSIS (Mayfield Giant)
Ideal for colorful clumps of sunny
bloom in perennial borders. Pkt. 10c.



SNAPDRAGON (Canary Bird)
This is a tall, stately Maximum Antirrhinum, so much wanted for color in Winter and early Spring gardens. Pkt. 10c.



ZINNIA, GOLDEN QUEEN

A California Giant, for long, hot weather bloom. There are 10 other separate colors in this group. Pkts. 15c.



MARIGOLD (Guinea Gold)
An attractive, loose-petaled variety of medium height, combines well with Yellow Supreme, its lighter yellow counterpart. Pkts. 10c.

Phlox

PHLOX decussata grandiflora. Per.
Pinks, reds, lavenders, purple and white; showy Summer border plant; seeds slow to germinate, taking from 6 weeks to 6 months; 3 feet. Sow October to March. Mixed. Pkt. 15c.

PHLOX drummondi grandiflora.

Pink,s reds, lavenders, salmon, yellow, and white; easily-grown, Spring, Summer and Fall bedder. Sow January to July. Germination period 10 to 15 days.

ONE-FOOT VARIETIES:
Brilliant Rose.
Dark Rod.

Dark Red.
Fiery Scarlet.
Flesh Pink. Rose eye.
Isabellina. Creamy yellow.
Pure White.
Violet. White eye.

Mixed.

Dwarf Salmon Pink. 6 inches.

Dwarf Mixed. 6 inches tall. All above. Pkts. 15c.

GIGANTEA. Extra-large-flowered strain:
Salmon Glory. New salmon-pink, with cream eye. Pkt. 15c.
Red Glory. Rich bright red.
Rosy Morn. New bright rose-pink, with white eye.

rt Shades Mixed. Contains the above, and other light shades.

PHYSALIS franchetti, Chinese Lanterns. Bien. fiss'-a-lis.

Orange-scarlet pods the second year, beautiful dried for Winter decoration; 1½ feet. Sow January to June. Germination period 3 weeks. Pkt. 25c.

PHYSOSTEGIA Virginiana. Obedient Plant. Per.

fy-soh-stee'-ji-a. Sun or part shade. Lavender-pink, tube-shaped flowers in showy spikes on bushy border plant in July and August; 4 feet. Sow September to May. Germination period 25 days. Pkt. 15c.

PLATYCODON grandiflora, Bell Flower. Per. plat-i-koh'-don.

Part shade, sun.
Blue, balloon-like buds opening into large, deep blue bell-shaped flowers, for partly shaded borders; 1½ feet. Sow August to March. Germination period 12 to 15 days. Pkt. 15c.

PLATYSTEMON californicus, Cream Cups. plat-i-stee'-mon.

Sun.

Native; creamy-white flowers like miniature double Shirley poppies. Sow October to March in full sun, where to remain. Pkt. 15c.

Poppies

POPPY, Papaver sp. pay-pay'-ver. Sun.
Pink, rose, orange, and red shades, quick, showy, large-flowered bedders, which may be cut if the cut ends of the stems
are singed. Sow November to May. Germination period 10 to 14 days.

Flanders. True French Poppy, deep red.

SHIRLEY. Crinkled petals and hairy foliage; 1½ feet:

American Legion. Large orange-scarlet.

Wild-Rose Pink.

Single Formula Mixture. Many choice shades. Double Camellia-flowered. Pkts. 10c. TALL SORTS. Smooth foliage; 3 feet.

Double Mixed. Single Mixed. Double Salmon Pink. Huge pompons. Pkts. 10c.

Sow August to March. Germination period 10 to 15 days. Glaucium. 3 feet; deep, glossy orange, smooth foliage; magnificent specimen plant. Pkt. 10c.

NUDICAULE (ICELAND). 1½ feet, with crinkly-petalled flowers on long stems above low leaf-clumps, fine for edgings and bouquets; bloom first year.

Coonara Pink. Beautiful shades of pink and rose.

Pastel Tints. New.

Sanford's Giants. Oranges, yellows and whites—the best strain in size of flower and color.


Kelmscott Strain. The finest and most beautiful color range—many creams, biscuits, pinks and salmons with the white, yellow and orange. Long strong stems. Pkt. 25c.

Gartref Hybrids. Giant flowers in beautiful shades, picotee-edged.

edged.

edged.
Empress. Lovely, large salmon-rose shades.
Emperor. Giant orange.
White. Pure white.
Yellow Wonder. Giant buttercup-yellow. Pkt. 15c.
ORIENTAL HYBRIDS. Strong foliage and stems; huge flowers:
Salmon Shades. Huge flowers; 3 feet tall. Pkt. 15c.
Mixed. In salmon, rose, orange and red shades (2½ feet).

PORTULACA grandiflora, Moss Rose. pohr-tew-lak'-ka. Sun. Pink, rose, lavender, yellow, orange, and red shades; showy ground cover and bedder, standing hot, dry situations; 6 inches. Sow February to May. Germination period 2 weeks. Single, Rainbow Mixed. 1/4 oz. 75c; Pkts. 10c. Double, Reselected Mixed. 1/8 oz. \$1.00; Pkt. 15c.



PERENNIAL PHLOX

Primulas

PRIMULA, Primrose. prim'-you-1a. Shade.
Showy flowers for pots and beds in shade.
Cultural Notes: Sow seeds on surface of compost half fibrous loam, balance equal parts leaf-mold, decayed cow manure, and sharp sand (if manure is not old, it is better left out), pressed firmly in flat, or 6-inch pot, half filled with drainage. Sprinkle seeds thinly with similar soil, and cover with pane of glass. Shade from sun and keep moist from below. May is best month, but sowings may be made successfully any time.

POLYANTHUS, Per. English-type; 6 inches.
Yellow, orange, brown, red, purple flowers in large clusters.
Germination period 60 days.
Blue Shades. From forget-me-not blue, through sapphire to purple, slower germination. Pkt. 75c.
Red Shades. Large, dark velvety red to flame. Pkt. 50c.
Yellow Gold. Choicest, largest yellows. Pkt. 50c.
Pastel Blend. Clark's Colossal, hand-pollinated strain. Pink, salmon, layender, apricot, new color, breaks. Pkt. \$1.00. salmon, la ½ Pkt. 50c. lavender, apricot, new color breaks. Pkt. \$1.00;

Giant Munstead Strain. Mostly yellow shades. Giant-flowered Hybrids. All colors. Pkt. 50c.

MALACOIDES, Baby Primrose:
Feathery clusters of small flowers for Winter and Spring beds and edging; 1 foot. Germination period 3 weeks.
Brilliancy. New rose-red.
Lavender. Large-flowered.

Light Lilac. The earliest-flowering. Snow Queen. Pure white.

True Rose. Deep rose-pink. Pkts. 25c; 5 for \$1.00.

True Rose. Deep rose-pink. Pkts. 25c; 5 for \$1.00.

GIANT-FLOWERED. Malacoides Strain:
Cameo. Semi-double, orchid with center petals lighter and slightly crested, giving cameo effect.
Double Fairy Jewels. Rich rose-pink.
Enchantress. Soft salmon-rose.
First Lady. Double. Center petals swirled and crested. White with a faint pink flush.
Lavender Glory. Deep lavender.
Snow-Flake. Pure white.
Sweetheart. The first bi-color primula, bright salmon-pink, white bordered, huge florets on wiry stems.
Twinkles. Double, a soft flesh pink with picotee pencilings of rose, crested double centers. Pkts. 50c.


OBCONICA:

OBCONICA:
Large flowers, from December to July; 10 inches. Germination period 20 days.
Apple Blossom. Light rose-pink.
Berlin Red (Fassbender Strain). Huge deep red.
Coerulea. Clear blue.
Lachsrosa. Fine new salmon-rose.
Rhine Pearl. Salmony-red.
Salmon Queen. Pure salmon pink.
White. Large pure white.
Grandiflora Mixed. Pkt. 50c.

PYRETHRUM roseum hybridum. Per. Sun.
Pink, rose, and red, large daisy flowers above feathery foliage for beds and bouquets; 1 to 2 feet. Sow September to May. Germination period 3 weeks.
Grandiflorum Single Mixed. Pkt. 25c.
Double Mixed. Pkt. 25c.

QUEEN ANNE'S LACE FLOWER. Sun.
White, tiny flowers in umbels, the whole forming large lacy heads. Attractive in the mixed bed, and useful as a cut-flower filler; 2½ feet. Sow February to May. Pkt. 10c.

RANUNCULUS. Per. rah-nun'-cue-lus. Sun.
Beautiful Spring flowers in shades of pink, white, red, yellow and rose. Sow from July to November for bloom February to May. Germination period 30-40 days.
Tecolote Giant Double Hybrids Mixed. Pkt. 50c; Small Pkt. 25c.



ICELAND POPPY, KELMSCOTT

ROCKERY PERENNIALS, Mixed. Per. Sun.
A splendid special mixture of 24 hardy, low-growing perennials, unusually interesting to grow, and, of course, ideal for rock gardens; 6 to 12 inches. Sow October to May. Pkt. 15c.

RUDBECKIA, Cone Flower. rud-beck'-i-a. Sun.

Indian Maid. Golden yellow, single daisies, with brown coneshaped centers for borders or cutting, in sun or partial shade,
3 feet. Sow August to May. Germination period 8 to 10 days.

Starlight. Primrose yellow to mahogany and bi-colors, semi-Starlight. Primre double. Pkt. 15c.

SALPICLOSSIS, Painted Glories. sal-pi-glos'-is. Sun.

Rose, red, yellow, purple, and white, large rich velvety flowers mostly veined with gold, for a striking bed or bouquet. Sow November to May, preferably early, as they make their best growth during cool weather. Sow where to remain, or transplant young. Germination period 2 weeks.

Emperor Mixed. 3 to 4 feet tall. 1/4 oz. 45c; Pkt. 10c.

SEMI-DWARF. New sturdy strain; 11/2 feet:
Blue-and-Silver. Mid-blue veined silver.

Golden Rose. Rich rose, golden veins and stripes.

Red Star Chamois. Buff-yellow, broad red stripes, star-like from gold throat.

Mixed. Large Pkt. 35c; Small 15c.

SALVIA, Sage. Per. sal'-vi-a. Sun.
Red or blue flowers in spikes, for Summer and Fall beds:
bloom first year. Sow February to May. Germination period 2 weeks.

Farinacea, Blue Bedder. Mid-blue, woolly stems and bracts.

Harbinger. Compact, vivid scarlet; 1 foot. Pkt. 25c. Patens. Pure indigo blue. Pkt. 15c. Splendens America. 2 feet; bright red. Pkt. 10c.

SANVITALIA procumbens. san-vi-tal'-i-a. Sun.
Orange-yellow, zinnia-like flowers on trailing plant for hot, dry situations; 6 inches. Sow January to May. Germination period 10 days. Pkt. 10c.

SAPONARIA vaccaria rosea. sap-o-nair'-i-a. Sun.
Rose flowers in graceful sprays, like a large-flowered Gypsophila; 2 feet. Sow February to April. Germination period 10 days. ¼ oz. 25c; Pkt. 10c.

SCABIOSA, Pincushion Flower. Sun.
Blue, pink, white, yellow, scarlet, and crimson, large double flowers on long stems for beds and bouquets; 3 feet. Germination period 2 to 3 weeks.

Cultural Note: Annual Scabiosas, although they will bloom in Summer, do best in cool Spring months. Hence, advisable to sow in early Fall in warm sections, and in late Winter in cold chimates. In Southern California, plants Winter over and give their best flowers early this second Spring. Thrive in sun, in any good soil any good soil.

Ageratum Blue. Best lavender-blue.

Azure Fairy. Sky blue.

Blue Moon. New mid-blue, ball-shaped flowers on extra-long stems (15c)

Heavenly Blue. New dwarf; 18 inches; azure blue (15c). King of the Blacks. Maroon red. Loveliness. Salmon pink.



SCABIOSA ISAAC HOUSE



HELIANTHUS, SUN GOLD

Peace. White, semi-dwarf.

Rosette. Deep rose pink (15c).

Salmon Beauty. New, light salmon shades (15c).

Shasta Improved. Giant pure white.

Giant Hybrids Mixed. Large flowers, rare colors. 1/4 oz. 35c; Pkt. 10c

CAUCASICA (2 feet). Per.

Isaac House Hybrids. Shades of blue, lavender, and white. Pkt. 25c.

SCHIZANTHUS, Poor Man's Orchid. sky-zan'-thus.

Partial shade.


Chamois, rose, lavender, and purple shades, beautifully marked and unusually formed flowers and fern-like foliage for pots or partly shaded beds; $1\frac{1}{2}$ feet. Sow November to May. Germination period 2 to 4 weeks.

Grandiflora Hybrids, Dr. Badger's Improved. The finest pot strain. Pkt. 25c.

Grandiflora Mixed. For bedding or Spring ground or bulb cover. Pkt. 15c.

SHAMROCK.

Irish Shamrock. An interesting pot plant for Saint Patrick's Day, Pkt. 25c.



SWEET PEAS, EARLY FLOWERING SPENCER



RANUNCULUS, TECOLOTE GIANTS

Stocks

STOCK. Sun.

Splendid fragrant bedding and cutting plant. Sow July to March. Germination period 5 to 10 days.

Cultural Note: Stock seedlings should be transplanted early; plants must not suffer a check at any time as permanent stunting may result. Soil should be deep and rich, but well-drained, and never over-watered.

DWARF TEN-WEEK (15 inches), best Summer flowering type, and only strain recommended for outdoor growth in East and Middle West.

All Colors Mixed. 1/16 oz. 35c; Pkt. 15c.

GIANT IMPERIAL, or BISMARCK. 2½ feet:

Antique Copper. Bronzy-red.

Buttercup. Deep cream.

Carmine Rose. Rosy-red.

Chamois Rose. Creamy rose.

Cream Pink. Ivory tinted pink.

Dark Blue. Purple.

Elks' Pride. Royal purple.

Fiery Blood Red. Rich crimson.

Flesh Pink.

Golden Ball. Golden yellow.

'Golden Gate. Large deep crimson.

Golden Rose. Yellow-centered.

Lilac. Deep lavender.

*Mojave. Rich purple.

Old Rose.

*Santa Maria. Giant white.

*Tahoe. Large clear lavender.

*Yosemite. Large rose-pink.

*Red Woods. Blood red.

All Colors Mixed. 1/16 oz. 45c; Pkt. 15c. Separate colors: Pkt. 20c; 6 for \$1.00.

*These varieties are in the California Giants group, an Improved Giant Imperial strain.

MAMMOTH BEAUTY OF NICE. 2 feet:

Aurora. Cream-tinted pink.

Beauty of Nice. Flesh pink.

Belle of Naples. Old rose.

Many Shades Mixed. Pkt. 15c.

BROMPTON; Emperor or Winter. 1½ feet; flower March to May:

Empress Elizabeth. Bright deep pink.

Crimson King. Rich red.

Violetta. Deep violet-purple.

White Lady. Pure white. Pkts. 25c; 5 for \$1.00.

COLONIAL. Naturally base-branching; $2\frac{1}{2}$ feet:


Mixed. Pkts. 15c.

SHASTA DAISY, Chrysanthemum maximum. Per. Sun.

Large white border and cutting flower. Sow any time. Germination period 10 to 14 days.

Alaska. Largest-flowered; 2½ feet.

May Queen. More flowers, somewhat smaller; 2 feet. Pkt. 10c. Double and Crested Mixed. New beautiful strain, with large ball-shaped double flowers or single, anemone-centered blooms. Large Pkt. 50; Small Pkt. 25c.



STOCK, CALIFORNIA GIANT

Sweet Peas

SWEET PEAS, Lathyrus odoratus. Sun.

Early Flowering Spencer is the best strain for California and the South, or for greenhouse use anywhere, blooming from December to June if planted in August or September. Flowers are very large, wavy, 3 to 4 on long stems. Sow August to March. Germination period 10 days.


Leading Popular Varieties. Oz. 75c; ½ oz. 40c; ¼ oz. 30c;

Pkt. 10c. Bacchus. Red-purple. Bridesmaid. Silver-pink. Blue Danube. Clear blue Boon. Coral or flame pink. Cinderella. Light blue.

Cinderella. Light blue.
Daphne. Salmon and cream.
Gardenia. Fragrant white.
Mars. Rich blood-red.
Memory. Orchid-lavender.
Oriental. Deepest cream.
Othello. Deepest maroon.
Shirley Temple. Rose-pink.
Top Hat. Blue-purple.
Tops. Bright rose-pink yieldi

Tops. Bright rose-pink, yielding 5 and 6 giant flowers per stem. **Vulcan.** Vivid scarlet.

Fortyniner. Glowing orange, frilled. Mariner. Clear marine blue.



SHASTA DAISY, DOUBLE



SWEET WILLIAM, SINGLE

Cuthbertson Strain, Mixed. Heat-resistant, later blooming. Campbell's Special Mixture of Named Early Spencers contains all the above varieties. Oz. $50c; \frac{1}{2}$ oz. $30c; \frac{1}{4}$ oz. 15c.

Spring-Flowering Spencers (new group, commencing to flower about April 1 and continuing into Summer from late Fall sowings. Have greater vigor and resistance to drought than any other Sweet Peas. An excellent strain for a second or follow-up crop to the Winter-and-Spring-flowering Early Spencers): Mid-Blue; Lavender; Mauve-Lilac; Rose-Pink; Salmon-Rose; and White. Pkts. 15c; 5 for 60c.

Late Spencer Mixed. (Bloom by May.) Oz. 35c; $\frac{1}{2}$ oz. 20c; Pkt. 15c.

Dwarf Spencer. For bedding (bushy plants; 1 foot). Pkt. 15c. **Bo-Peep.** New early salmon pink. Pkt. 15c.

SIDALCEA. Per. sv-dal'-see-a.

Rose, mauve, and purple, hollyhock-like flowers in slender spikes for sunny borders and cutting; 3 to 4 feet. Sow Sep-Rose Queen. Rose-pink.

New Hybrids Mixed. Pkts. 15c.

SNAPDRAGON. See Antirrhinum.

stat'-iss. Sun.

Pink, blue, and yellow, small everlasting flowers in clusters; 3 feet. Sow any time. Germination period 2 to 3 weeks. **Bonduelli.** Yellow.

Sinuafa Rose. True Blue. Mixed.

Suworwii, Russian Rat Tail. Rose. Pkt. 10c.

STATICE, Sea-Lavender. Per. Sun.

Straw-like flowers; basal leaves; 2 feet. Sow any time.

Caspia. Sprays of tiny lilac flowers, to mix in bouquets.

Perezi. Rich deep blue flower clusters, effective in borders. Pkts. 15c.

STEVIA serrata. Per. Stee'-vi-a. Sun or light shade.
White, fragrant, small flowers in large heads for beds and mixed bouquets; may be grown as an annual; 2 feet. Sow January to May. Pkt. 10c.

SUNFLOWER. See Helianthus.

SWEET WILLIAM, Dianthus barbatus. Per. Sun.

Pink, red, and white flowers, like small pinks, in large clusters for beds and bouquets; 1½ to 2 feet. Sow October to May. Germination period 7 days.

Newport Pink (Pink Beauty). Salmon rose.

Scarlet Beauty. Bright red.

Giant White New yery large flowers in immense trucces like

Giant White. New, very large flowers in immense trusses like Per. Phlox.

Single Mixed. All colors. ¼ oz. 40c; Pkt. 10c. Double Mixed. All colors. ¼ oz. 50c; Pkt. 15c.

SWEET SULTAN. See Centaurea imperialis.

TAHOKA DAISY. Sun. Large lavender, yellow-eyed daisies on long stems for cutting and show; feathery foliage; 1½ feet. Sow February to May Pkt. 15c.

TEXAS BLUE BONNET. See Lupinus texensis.

TITHONIA speciosa, Mexican Sunflower. ti-thoh'-ni-a.
Orange-scarlet, glistening flowers, like large single Dahlias, on rapid-growing, shrub-like annual for backgrounds and cutting; 6 to 9 feet. Sow March to June. Germination period 25 days. Bloom October-November.

Bright Orange.

Fireball. New vivid orange-scarlet. 1/16 oz. 60c; Pkts. 15c.

TORENIA fournieri. Partial shade.

Rich blue flowers with golden centers, in profusion, for pots or beds; 9 inches. Sow February to June. Germination period 2 weeks. Pkt. 15c.

TRITOMA, Red Hot Poker; Kniphofia. Per. try-toh'-ma. Sun. Red, orange and yellow flowers, in large spear-shaped heads; foliage grass-like; 3 feet. Sow March to June. Early sowings often bloom first season. Germination period 3 weeks. Pfitzer's Hybrid Red. Large and brilliant. Hybrids Mixed. All shades. Pkt. 15c.

VALERIANA, Garden Heliotrope. va-leer-i-an'-a.

Sun, partial shade.

Mixed. Rose, red, white; small flowers in heads, very freely produced; 2½ feet. Sow December to April. Pkt. 10c.

Verbena

VERBENA hybrida. Per. ver-bee'-na. Sun.
Pink, rose, red, lavender, blue, purple, white flowers in clusters, brilliant for bedding, and trailing ground cover; 1 foot. Sow December to August. Germination period 10 to 15 days.
GIGANTEA. Each floret in cluster usually as large as a quar-

ter:
Blue. Deep blue, white eye.
Floradale Beauty. New, salmon-rose shades.
Lavender Glory. Large, best lavender.
Spectrum Red. Intense red.
White. Pure white..
Mixed. Including other shades. ½ oz. 45c; Pkt. 15c.
ERECT, CUTTING VARIETIES:
Blue Sentinel. New velvety blue-violet.
Royal Bouquet Mixed. Pkt. 15c.
ANNUAL VERBENA:
Golden Queen. Good yellow; 1 foot. Sow November to May.
Pkt. 15c. Pkt. 15c.

VENIDIUM fastuosum. ve-nid'-i-um.
Glossy orange daisies with purple-black zone. 4 to 5 inches across, striking in the garden or cut; 2 to 3 feet. Sow January to May. Germination period 12 to 25 days. Avoid over

Vivid Orange; New Hybrids. In a mixture of shades from orange through yellows to cream and white. Pkt. 15c.



PHACELIA CAMPANULARIA

VERONICA spicata. Per. Sun to partial shade. Rich deep blue, tiny tubular flowers in long, pointer for borders; 1½ feet. Sow March to August. Pkt. 15c. pointed spikes

VINCA rosea, Periwinkle. Per. Sun to partial shade. Pink and white, phlox-like, large flowers in sun or semishade; foliage dark, glossy green; 1 foot. Sown February to April, will bloom same year. Germination period 2 weeks. Mixed. 1/8 oz. 50c; Pkt. 10c.

VIOLA, Tufted Pansy. Sun, partial shade.

Flowers, although smaller than pansies, are produced even more freely, and make Violas ideal bedding and border plants for Winter and Spring; 6 inches. Sow July to March. Germination period 10 to 14 days.

Arkwright Ruby. New rich red.

Blue Perfection. Large clear blue.

Blue Butterfly. New, dark blue, upper petals pale blue.

Chantreyland. Improved apricot.

Firmament. Turquoise blue.

Lutea Splendens. Bright yellow.

Papilio. Blue, upper petals white.

Violet Papilio. Deep blue.

White Perfection.

Bright Mixed. All colors. ½ oz. \$1,25; Pkts. 25c.

Bright Mixed. All colors. 1/8 oz. \$1.25; Pkts. 25c.

Johnny-Jump-Up. Little, purple-and-gold pansy faces, for rockeries and edgings. Pkt. 15c.



AQUILEGIA COLUMBINE



NEMOPHILA BABY BLUE EYES

WALLFLOWER. Sun.

Rich reds, browns, yellows; fragrant, stock-like flowers, for bedding and cutting; 1 to 2 feet. Sow September to March. Germination period 10 to 14 days.

VISCARIA oculata. vis-kair'-i-a. Sun.


Blue, pink, and white, large flax-like flowers, very effective in beds and bouquets; 1 foot. Sow October to April. 1/8 oz. 35c;

Single Annual; Blood Red, Paris Brown, Yellow, Mixed. Pkt.

Double Mixed. (Early Wonder.) Pkt. 15c. Single Perennial Mixed. Pkt. 15c.

WILD CUCUMBER, Echinocystis lobata. Vine. Sun, partial shade. Quick shade vine or ground cover trailer, with attractive, light green foliage, and curious prickly fruits (a hardy native gourd). Sow March to June. Germination period 10 to 20 days.

gourd). Sow March ½ oz. 30c; Pkt. 10c.



ZINNIA, CALIFORNIA GIANT

Campbell's California Wild Flower Mixtures

Will Grow Almost Anywhere, Cover Vacant Lots and Bare Corners, and Furnish Cut Flowers. An Ideal Souvenir! Cultural Note: Best sown in late Fall in all climates, since they will bloom in late Winter and Spring in a mild region, they will bloom in late Winter and Spring in a mild region, yet lie dormant and sprout and bloom in early Spring in the cold sections of the United States. They may still be sown, with sure results, as late as April in Southern California, and June in the cooler sections. Broadcasting the seed, mixed with sand, over finely-pulverized soil in the open, is the best plan. Rake-in very lightly, or merely cover with scattered soil or peat. If in the Fall, do not water; if in the Spring when natural rainfall cannot be depended upon keep moist until sprouted, and irrigate there. pended upon, keep moist until sprouted, and irrigate there-


Campbell's Special Mixtures, in contrast to many cheap mixtures, contains only California natives. The two mixtures are alike (with more than 30 species represented, to give a long and interesting season of bloom), with this exception: There is no California Poppy in mixture No. 2, for those who may have these bright flowers already established lished.

Mixture No. 1, including California Poppies. Lb. \$7.50; 1/4 lb. \$2.85; oz. 75e; 1/2 oz. 50e; Pkt. 10c.

Mixture No. 2. All varieties except California Poppy. Lb. \$8.50; ¼ lb. \$3.00; oz. \$1.00; ¼ oz. 40c; Pkt. 15c.

Souvenir Collection of 10 dependable California Wild Flowers, in separate 10c packets,, our selection. Special for 75c.

VIRGINIAN STOCK, Malcolmia. Sun.
Rose, red, yellow, white, small single flowers cover these low, splendid Winter and Spring edging, bulb-bed and ground cover plants; 6 inches. Sow October to May. Germination period 12 days. Mixed. Oz. \$1.00; ½ oz. 60c; Pkt. 15c.



VERONICA

Zinnia

ZINNIA. zin'-ni-a. Sun.

Our Summer specialty. Pinks, reds, yellows, and purples, in vivid shades, unexcelled for Summer bedding and cut-flowers. Sow February to July. Germination period 5 to 10 days.

Cultural Note: Sow Zinnia seed where the plants are to bloom

Cultural Note: Sow Zinnia seed where the plants are to bloom if this is at all possible; otherwise transplant when the seed-lings are small. When watering, rather than use the sprinkler, irrigate by the trench method and let the water run slowly for several hours until it has soaked down thoroughly into the ground through and beyond the roots. You will then have maximum results, yet need to water the plants only once every two weeks if the top soil is properly cultivated a day or so after each irrigation.

DAHLIA-FLOWERED. Huge, loose-petalled, cup-centered

flowers; 2½ to 3 feet:

flowers; 2½ to 3 feet:

Canary Bird. Bright yellow.

Crimson Monarch. Huge rich red.

Dream. Deep rosy lavender.

Eldorado. Salmon-apricot shades.

Exquisite. Light rose with deeper center.

Illumination. Deep rose.

Golden State. Orange-yellow.

Luminosa. Vivid deep pink.

Meteor. The deepest red.

Oriole. Orange and gold bicolor.

Polar Bear. Large white.

Royal Purple. New, deep rich purple.

Will Rogers. Improved new scarlet.

Gold Medal Mixed (blended from named

Will Rogers. Improved new scarlet.

Gold Medal Mixed (blended from named varieties). Oz. \$1.50; 1/4 oz. 45c; Pkt. 15c, 7 for 85c.

Pastel Shades Mixed. Prices same as Gold Medal. Mixed.

CALIFORNIA GIANTS. Giant Mammoth. Huge, close-petalled, flat-topped blooms; longer-stemmed than the Dahlia-flowered type; 3 to 31/2 feet:

Apricot Queen. Beautiful salmon-orange.

Daffodil Improved. Canary yellow.

Enchantress. Light rose with deeper center.

Golden Queen. Deep yellow.

Grenadier. Deep rosy-red.

Lavender Queen. Rosy lavender.

Miss Willmott. Soft pink.

Orange King. Rich deep orange.

Purity. Pure white.

Purity. Pure white.

Rose Queen. Deep rose.

Scarlet Queen. Rich bright scarlet. Named Varieties Mixed. All colors. Oz. \$1.50; 1/4 oz. 45c; Pkt.

15c, 7 for 85c.







SANVITALIA

ZINNIAS LINEARIS

HAAGEANA

Crown o' Gold. A new and pleasing Giant Dahlia-flowered Zinnia, with golden yellow overlaid on the base of the petals. **Super Crown o' Gold Pastel Mixture.** The aristocrat of Zinnias. oz. 60c; Pkt. 15c

Super Crown o' Gold Pastel Mixiure. The aristocrat of Zinnias. 1/4 oz. 60c; Pkt. 15c.

PUMILA ELEGANS, Cut and Come Again. Medium sized flowers with the Truest Zinnia colors; 2 feet:

Canary Yellow; Crimson; Golden Orange; Salmon Rose; Scarlet; Spun Gold. New cream-yellow. All Colors Mixed. Oz. \$1.00; 1/4 oz. 30c; Pkt. 10c.

FANTASY. New, informal Chrysanthemum-flowered type with slender, daintily-twisted petals:

Melody. Lavender.

Orange Lady. Orange.

Rosalie. Old rose.

White Light. Pure white.

Wildfire. New bright scarlet. Pkt. 15c.

Mixed. All Zinnia colors. 1/4 oz. 45c; Pkt. 10c.

POMPON, Lilliput. Small, very double flowers, fine for edgings and bouquets; 1 to 11/2 feet.

Canary Yellow; Crimson Gem; Golden Gem; Lavender Gem; Salmon Rose; Red Riding Hood, scarlet; Valencia, burnt orange; White. Pkt. 10c.

PASTEL SHADES MIXED. New, soft colors found in no other Zinnia.

other Zinnia

other Zinnia.

All Colors Mixed. Oz. \$1.50; ½ oz. 35c; Pkt. 10c.

Black Ruby. New.

CUPID. New, with small, button-like flowers useful for cutting, on 1-foot plants. Mixed. ½ oz. 35c; Pkt. 15c.

TOM THUMB LILLIPUT. Extra dwarf; 5 inches; very compact, for edgings and pots. All Colors Mixed. Pkt. 15c.



ZINNIA, POMPON

ZINNIA haageana, Mexican Zinnia.

Many unusual and attractive combinations of red, bronze, and orange, with yellow, cream, and white, as well as plain colors, make this dwarf Zinnia beautiful for beds; the stems are long enough for cutting; 1 to 2 feet. Sow March to July. Germination period 5 to 10 days.

Hybrid Mixed. 1/8 oz. 35c; Pkt. 10c.

ZINNIA linearis.

New species with single, glistening orange-and-gold flowers on slender stems all Summer and Fall on compact 8-inch plants, ideal for showy Summer bedding. Sow March to July. 1/16 oz. 30c; Pkt. 10c.

ZINNIA, Trailing. See Sanvitalia.



THE IRI-GATOR Water Your Garden — Don't Wash It Away!

IT PENETRATES. Gardens thrive on deep watering.


IT ENDS ROOT WASHING. Tames destructive hose pressure.

IT'S FAST. Produces a gentle, free-flowing flood.

IT LASTS. Sturdy, rustproof aluminum and plastic construction with no screws or moving parts to loosen or wear out.

Postpaid, \$1.25

Vines for All Uses



IPOMOEA DISSECTA, MILE-A-MINUTE VINE

ASPARAGUS Fern. Per. as-pa'-ra-gus. Partial or full shade.
Plumosus nanus, feathery, fern-like foliage for bouquets. Sow
March to September. Germination period 15 to 30 days. 100 seeds, 50c; Pkt. 10c.

AUSTRALIAN PEA VINE, Dolichos lignosus. Per.

Sun, part shade.
Rose-pink, small, pea-shaped flowers on rapid evergreen vine; sow November to March. Germination period, 12 days. Pkt. 10c.



COBOEA

CARDINAL CLIMBER, Ipomoea quamoclit hybrida. Sun.

Vine.
Fiery-red tubular flowers on rapid vine; sow February to May. Germination period 10 to 15 days. Pkt. 15c.

COBAEA scandens, Cathedral Bells Vine. ko-bee'-a. Sun. Violet-blue, large, bell-shaped flowers on very rapid, deep-green-leaved vine for sun or partial shade; sow seeds on edge, Feb. to May. Germination period 3 weeks. Pkts. 10c.



CYPRESS VINE

CYPRESS VINE, Ipomoea quamoclit. Vine. Sun.
Red and white star-shaped flowers on quick, twining vine
with feathery foliage; sow February to May. Germination
period 10 to 20 days. Mixed. Pkt. 10c.

DOLICHOS lablab, Hyacinth Bean. Vine. doll'-i- kos. Sun.

Rosey-purple pea flowers on quick vine, with showy purple pods; sow March to May. Germination period 10 days. Pkt. 10c.



AUSTRALIAN PEA VINE

GOURDS

Quick vines or trailers, with grotesque or ornamental fruits; sow March to June. Germination period 2 weeks. Sun.

Cultural Note: Sow in open, in warm, sandy soil. Do not water after they begin to bloom, else flowers may drop. For perfect shaped specimens, train vines on fence or trellis.

Do not pick fruits until individual stems are brown and fingernail will not dent shell. After picking hang in an airy, dry place to cure. Large, hard-shelled varieties are usually scrubbed and painted; small, colorful varieties wiped free of dust and given a light coating of varnish or shellac.

Large Sorts Mixed. Oz. 40c; ½-oz. 25c; Pkts. 10c.

Warted Varieties Mixed.

Small Sorts Mixed. All varieties, oz. 60c: ½ oz. 35c; Pkt. 15c.

Small Sorts Mixed. All varieties, oz. 60c; ½ oz. 35c; Pkt. 15c.

LATHYRUS latifolius, Perennial Sweet Pea. Per. Vine.

lath'-i-russ. Sun.

Red, pink, and white sweat-pea flowers (not fragrant) in clusters, on vine best as trailer and ground-cover; sow November to May. Germination period 3 weeks.

Pink Beauty; White Pearl; Red; Mixed, Pkts. 10c.

MILE-A-MINUTE VINE, Ipomoea dissecta. Vine. Sun.
Creamy-white, wine-red-centered, medium-sized flowers open all afternoon on fast-growing vine with lovely lacy foliage; notch seeds or soak overnight; sow April to June. Pkt. 15c.



PASSION VINE



THUNBERGIA ALATA

MINA LOBATA, Flag of Spain. Vine. Sun.

Red changing to yellow, tubular flowers in clusters on rapid vine, with beautiful lobed leaves; sow February to May; notch seeds, or soak for surer germination (period is 2 models). weeks). Pkt. 15c.

MOON VINE, Ipomoea noctiflora. Per. Vine. Sun.

Pure white, large flowers open at night, on rapid climber; sow February to April, notching the seeds or soaking 24 hours. Germination period 40 to 60 days. White Moonflower (grandiflora alba), open at night and early morning. Pkt. 15c.

MORNING GLORIES. Vines. See also Cardinal Climber, Cypress

Vine, and Mile-a-Minute Vine. Sun.
Rapid very showy annual vines; sow March to June, soaking seeds 24 hours. Germination period 10 to 21 days. For best bloom, never fertilize, and water very sparingly.
CONVOLVULUS SPECIES: Major Blue; Major Mixed. Oz.

CONVOLVULUS SPECIES: Major Blue; Major Mixed. Oz. 25c; Pkts. 10c.

IPOMOEA SPECIES:
Heavenly Blue, Clarke's Early-flowering, sky-blue, 4-inch flowers, with yellow throat.

Pearly Gates, a satiny white sport of Heavenly Blue, very similar in form and vigor.

Scarlet O'Hara, new deep rosy-crimson.

Cornell, deep red, strikingly margined with white.

Rose Marie, double deep rose flowers, produced early and freely.

All above. Pkts. 15c.

All above, Pkts. 15c.

PASSION VINE, Passiflora edulis. Per. Vine. Sun.

Beautiful and interesting waxy blue-and-white flowers on attractive vine, evergreen in mild climates, apt to winter-kill in severe; fruits edible, and much-prized for the strongly-flavored juice; sow March to July. Germination period 30 to 40 days. Pkt. 15c.


SCARLET RUNNER BEAN. Vine. Sun.
Bright red pea-flower on rapid vine with large edible pods; sow February to May. Lb. 75c; ¼-lb. 25c; oz. 10c.

THUNBERGIA alata, Black-eyed Susan. thun-ber'-ji-a. Sun. Orange, yellow white, large flowers with black centers on vigorous trailer; sow February to June. Germination period 2 weeks. **Mixed.** Pkt. 10c.

THUNBERGIA Gibsoni. Per. Vine. Sun.

Rich orange, large and showy flowers on tender climber or trailer, for greenhouse or sheltered position outdoors; sow, inside, anytime; outside, April to July. Germination period 2 weeks. Pkt. 25c.

Keep Track with "Perfect" PERMANENT LABELS



Made of heavy green celluloid composition. Takes lead pencil marks perfectly. Weather proof in all soils and seasons.

Tie-on Label. $3\frac{1}{2}$ in. x $\frac{3}{4}$ in. Doz. 45c, 100, \$3.60.

Pot Label. 4 in. x 3/4 in. Doz. 40c; 100, \$3.00.

Border Label. 5 in. x 2 in. wide. Doz. \$1.25; 25, \$2.40.

Rock Garden Label. 4 x 13/4 in. Doz. \$1.15; 25, \$2.00.

Show Garden Label. $7 \times 2\frac{1}{8}$ in. Doz. \$1.50; 25, \$2.90.

PLANT IN FULL SUN

Sow in Spring Agrostemma Alyssum Aster Calliopsis Carnation Centaurea Cleome Cosmos Helianthus Marigold Zinnia

Sow in Fall Antirrhinum Arctotis Calendula Campanula Coreopsis Delphinium Dimorphotheca Gaillardia Hollyhocks Phlox Poppies Stocks



SHADE GROWING

Sow in Fall Calceolaria Sow in Spring Aquilegia* Begonia Rellis* Collinsia* Cineraria Coleus Foxglove Myosotis Browallia Impatiens Huechera* Pansy* Cyclamen* Primula Godetia* Vinca* Linaria* Nemophila* Campanula⁴



*Denotes those for partial shade.

FOR EDGING

Sow in Spring Ageratum Begonia Dianthus Gazania Lobelia Marigold dwf. Petunia Zinnia


Sow in Fall Alyssum Arabis Bellis Candytuft Dusty Miller Nemesia Pansy Vi**r**ginian Stock



VINES FOR CLIMBING

Asparagus Asparagus Australian Pea Balloon vine Canary Bird vine Cardinal climber Cobaea Cypress vine Hyacinth Bean Gourds

Sow in Spring Lathyrus latifolius Mile-a-Minute Mina lobata Moon vine Morning Glory Thunbergia Snail vine Scarlet Runner Wild Cucumber



GOOD POT PLANTS

Sow in Spring Begonia Coleus Gloxinia Lobelia trl. Mimulus Nierembergia Saintpaulia Primula

Sow in Fall Browallia Campanula per. Cineraria Cyclamen Gesneria Pansy Primula Schizanthus



FLOWERS SUITED FOR CUTTING

Sow in Spring Carnation Centaurea Cosmos Dahlia Dianthus Marigold Nicotiana Scabiosa Sweet Sultan

Sow in Fall Anthirrhinum Calendula Campanula Coreopsis Gaillardia Pansy Stock Sweet William Verbena



FRAGRANT FLOWERS

Sow in Spring Carnation Dianthus Heliotrope Nasturtium Nicotiana Sweet Sultan Sweet William

Sow in Fall Alyssum Candytuft Matthiola Mignonette Stock Sweet Pea Wallflower




NEEDING LITTLE WATER

Sow in Spring Ageratum Calliopsis Centaurea Cosmos Dianthus Euphorbia Four o'Clock Helianthus Marigold Petunia Scabiosa **T**ithonia Zinnia

Sow in Fall Alyssum Arctotis Brachycome Browallia Candytuft Dimorphotheca Coreopsis Gaillardia Hollyhock Statice Verbena



Campbell's Selected Vegetable Seeds for 1949 Gardens



All Vegetable Packets 10c, Except Where Noted. Quantity Prices Quoted on Request.

ARTICHOKE, Green Globe. Edible, buds, large, green and broad at base, attractive thistle-like foliage. Sow September to April, 1 inch deep. Save least spiny seedlings; set 4 feet apart. Will bear in 2 or 3 years.

ASPARAGUS, Mary Washington. Excellent, rust resistant variety, producing early crops of heavy green shoots. Sow March to May; transplant in February; use second year.

PARADISE. A new and superior variety, producing a crop 1 year earlier than most varieties, and yielding more heavily.

EANS. Sow April to July.

BUSH. Bountiful, early wax; very prolific; stringless.

Stringless Greenpod. The favorite; meaty; stringless.

Canadian Wonder. Excellent late variety.

POLE. Kentucky Wonder. Fine flavor, rust resistant.

Kentucky Wonder White Seeded. Excellent, 10 days earlier.

Kentucky Wonder Wax. Very prolific, delicious.

Potomac. Green, tender, round pod, fine quality.

BUSH (Fordhook). Fine quality, large, plump. Henderson's Bush. Baby Lima. Heavy bearer, beans small,

POLE, Challenger. 10 to 15 feet vines, long pods of splendid quality; beans which stay green.

Pkts. 15c.

BEETS, Table. Sow January to December, all year in mild climates. Greens fine vitamin source.

Detroit Dark Red. One of the finest beets for home gardens,

symmetrical deep blood red.

Early Egyptian. For home and market garden, deep crimson, zoned, roots flattened globe-shaped, small fine tops.

BROCCOLI, Italian Green Sprouting. Early strain, large compact heads should be cut before flowers appear. Sow August to

BRUSSELLS SPROUTS, Long Island Improved. Dwarf plants producing quantities of small cabbage-like heads successively; fine flavor.

CHINESE CABBAGE. Chihili. Head 18 inches tall, very firm, well blanched, crisp, tender, sweet. Very early and sure head-

Wong Bok. Head 8-10 inches tall, broad, firm, tender, well Sow Cabbage July to March.

CAULIFLOWER—Early Snowball. Dependable variety with early heads, good quality. Sow August to January. Pkt. 25c.
Winter Cauliflower. Firm-heading Broccoli-Cauliflower type, fine large white heads. Sow in Summer. Pkt. 25c.

CABBAGE—Copenhagen Market. Early, round, solid, sweet, white. Golden Acre. Second early, solid, round heads.
Savoy. Sweet, curled, dark olive green, late.
Danish Ball Head. Large, flattened globe heads, firm, splendid

New Large Red. Crisp, fine quality, late.

PLANT VEGETABLES FOR A CONTINUOUS SUPPLY

It is often desirable and practical to extend the harvest period of certain quick maturing vegetables by making a succession of sowings. Thus, after the first sowing, a second one is made a week or two later and possibly a third or fourth so that as the first crop is harvested and gone the second will be ready to harvest. Most of this planning is guess work without some knowledge of the duration or time a crop is in condition for picking

The following table is intended only as a guide in planning succession plantings, since exposure and weather conditions and the family needs of a crop make it at best an approximation.

Variety	Harvest Lasts	Variety	Harvest Lasts
Beans	4 weeks	Onions (sets)	4 weeks
Beets	6 weeks	Peas	2 weeks
Carrois	8 weeks	Radish	3 weeks
Cucumbers	4 weeks	Spinach	2 weeks
Endive	, 6 weeks	Sweet Corn	10 days
Kohlrabi	3 weeks	Turnips	2 weeks
Lettuce	6 weeks		

Care should be taken to observe the planting seasons in the chart at the left so that sowings are not made "out of season.



STRINGLESS GREEN POD BUSH BEANS

CARROTS-Chantenay. Red-orange, stump-rooted carrots, 5 to 6

DANVERS HALF LONG. Crisp, tender, bright orange, 6 to 7 inches long.

French Forcing. Earliest, small, red-orange carrot, fine flavor. Imperator. Popular market and home variety, 8 inches long, stump rooted, cylindrical, deep orange. Sow Carrots any time.

CELERY—Golden Detroit. Salf-blanching, compact, full hearted. **Utah.** Early, green type, solid, with rich, nutty flavor.

CELERIAC. Globular-rooted celery, unusual, delicious.

CHICORY—French Endive. One of most attractive salad vegetables. The blanched leaves have a tangy, mildly acrid flavor. Sow October to May.

CHIVES. Small perennial of the Onion family, leaves used in flavoring salads, soups, stews. Has attractive pink flowers. Sow August-April.

COLLARDS—Georgia. Non-heading greens of the Cabbage family, hardy, rich in vitamins. Sow August to March.

CORN. Sow March to August. Best planted in several rows for better pollination.

Golden Bantam Improved. Sweet, tender, 8-inch ears.

Golden Cross Bantam. Best hybrid, disease resistant, fine

Black Mexican. Kernels white at table stage, tender, rich, and

Sweet.

Country Gentleman. Small, deep, sweet kernels, long cob.
Oregon Evergreen. Fine, sweet, market variety.

Pop Corn. Golden Hulless.
Field Corns. Golden Dent, Hickory King, Mexican June.

CRESS—Curled or Pepper Grass. Quick growing, frilled, pungent leaves for salad or garnish. Sow any time.

CUCUMBER—Chicago Pickling. Fine for pickling and slicing.
Climbing. Fine quality, space saver.
Straight 8. Long, even, cylindrical. Eight inches long.
Lemon. Superior quality for salads and pickling.
Long Green Improved. Fine home garden slicing variety, smooth, even.
Small Chapter. The West India miching their saver saver.

smooth, even.

Small Gherkin. True West India pickling strain, very prolific. 1½ to 2 inches long, oval. Sow Cucumbers March to July.

Syrian. For the warmer climates, a prolific producer of fine flavor and unusual digestibility eaten raw when young. As it grows older it makes a good cooking vegetable, similar to squash. Pkt. 15c.

DANDELION—Improved Thick Leaved. Compact, rosette type, superior to uncultivated, blanches readily. Sow January to

EGGPLANT—Improved Large Purple. Strong plants bearing many large, handsome fruits. Sow in hotbed January to April. ENDIVE (See also Chicory).

Broad Leaved Batavian, or Escarolle. Early, large heads, blanches readily, sow any time.

Green Curled. Late, medium size, green-ribbed, sow any time.

FENNEL. Bulb at base is eaten sliced raw or cooked, stalks and leaves also have a delicious, aromatic flavor. Sow August to February.

KALE—Tall Green Curled Scotch. Deeply cut leaves, curled at the edges. Vitamin-rich green vegetable. Sow August to April. Dwarf Green Curled. For greens and garnishing. Jersey. Thousand headed, smooth leaves, prolific; for feeding poultry.

KOHL RABI—Early Purple Vienna. Globular bulbs with white tender flesh; leaves green with purple veins. Sow August to February.

EK—American Flag. Early, mild flavor, short thick stems, fine for flavoring salads and soups. Sow August to December.

LETTUCE-Heading Varieties:

Los Angeles Market (New York). Larg dark green crisp heads, best all-purpose variety. Sow any time in mild climates.

Great Lakes. All America '44, "slow to go to seed" in hot weather; crisp; Iceberg type.


Bibb. New, early forcing variety, medium head, fine flavor. Leaf Varieties:

Bronze Beauty. Crisp and sweet, the deeply cut leaves have an attractive bronze sheen; does not go to seed readily in hot

Campbell's Planting Chart for the Home Vegetable Garden

Variety	Seed 100 ft.	In Calif. Sow	Distanc rows	Between plants	Cover Seed	Days to Ripen
Beans, Bush	1 lb.	March-Aug.	2-2½ ft.	3-4 in.	2 in.	45-60
Beans, Pole		March-July	3-4 ft.	12 in.	2 in.	50-75
Broccoli		AugFeb.	2-2½ ft.	16-20 in.	½ in.	100-130
Beets	2 oz.	All Year	1½-2 ft.	3-4 in.	3/8 in.	58-80
Cabbage	½ OZ.	SeptMay	2-2½ ft.	16-20 in.	$\frac{1}{2}$ in.	90-120
Cantaloupe		April-July	4-5 ft.	3-5 ft.	3/4 in.	90-120
Carrot	1 oz.	All Year	1½-2 ft.	2-3 in.	1/4 in.	70-100
Celery	½ oz.	All Year	1½-2 ft.	4-5 in.	1/8 in.	120-150
Celtuce		All Year	$1\frac{1}{2}$ -2 ft.	12 in.	½ in.	60-85
Corn	8 oz.	March-Aug.	30-42 in.	9-12 in.	2 in.	75-100
Cucumber	1 oz.	March-Aug.	4-5 ft.	$1\frac{1}{2}$ -3 ft.	1 in.	60-90
Eggplant	1 oz.	JanApril	3-4 ft.	3-3½ ft.	½ in.	120
Endive	1 oz,	All Year	$1\frac{1}{2}$ -2 ft.	8-10 in.	½ in.	90
Lettuce		All Year	1½-2 ft.	$\frac{1}{2}$ -1 ft.	½ in.	60-90
Mustard		All Year	$1\frac{1}{2}$ -2 ft.	6-9 in.	½ in.	60
Onion		AugApril	$1\frac{1}{2}$ -2 ft.	3-4 in.	1/4 in.	140-180
Parsley		All Year	1 1½ ft.	3-6 in.	½ in.	90
Peas	1 lb.	SeptMarch	2-3 ft.	1-2 in.	$1\frac{1}{2}$ in.	60-230
Pepper		JanApril	2½ ft.	2-2½ ft.	½ in.	90-120
Radish	1 oz.	All Year	1-1½ ft.	1-2 in.	3/8 in.	21-36
Spinach	1 oz.	SeptMarch	1-2 ft.	5-6 in.	3% in.	40-60
Squash, Summer	2 oz.	March-Sept.	4-5 ft.	3 ft.	1 in.	60-75
Squash, Winter	1 oz.	April-Aug.	6-8 ft.	5-6 ft.	1 in.	90-120
Swiss Chard		All Year	$1\frac{1}{2}$ -2 ft.	1 ft.	3% in.	90
Tomato		March-Sept.	$\bar{3}$ -4 ft.	3-4 ft.	1/4 in.	60-90
Turnip		SeptMarch	1-2 ft.	3-7 in.	1/4 in.	75-130
Watermelon		April-Aug.	8-10 ft.	8 ft.	1 in.	90-120





UTAH CELERY

Early Curled Simpson. Crisp, tender, broad leaves crumpled and frilled.

Oak Leaf. Leaves deeply cut, tender and sweet, grows well in hot weather.

Prize Head. Very early, loose-leaf, tender and sweet, outer leaves edged red, inner leaves wholly green, attractive in the salad bowl. Sow all these varieties all year in mild climates.

MELONS—Muskmelons:

Cranshaw. A new melon with a rich, spicy flavor, solid and meaty.

Hale's Best. Thick salmon-orange flesh, sweet, aromatic flavor. Resistant Strain 45. Fine quality fruit, mildew resistant. Honey Dew. Very sweet, green flesh.

Persian. Flesh thick, bright orange; distinct delightful flavor if thoroughly ripened on the vines.

Tip Top. Profitable, popular melon for local markets, flesh salmon-yellow, very juicy, sweet, rich flavor.

Golden Beauty Casaba. Requires semi-tropical conditions for best development, large globular fruit, flesh very thick, white, juicy and sweet.

Watermelons:

Chilian, Black Seeded. Rather small, round melon, rind medium green, striped darker, flesh bright deep red, very sweet.

Klondike. Large, oblong dark green, flesh red, crisp, fine quality.

Klondike Striped. Light green with dark, rattlesnake striping, rind thin, tough, very popular for its crisp sweetness. Schling's Midget. New, very sweet, 6 inches long, 7 or 8 inches in circumference. Just the thing for small families and refrigerators.

MUSTARD—Giant Southern Curled. Peppery leaves for greens. Sow any time.

Mustard Spinach, Tendergreen. Valuable, heavily productive addition to our list of greens for the garden; nice flavor.

OKRA (Gumbo). Poo Sow April to July. Pods used in soups, salads, stews, and relishes.

Dwarf Long Green Pod. Pods tender, 7 to 8 inches long, plants $2\frac{1}{2}$ feet.

Perkins Mammoth Pod. Pods fleshy, ribbed, and tapered. plants 4 to 5 feet.

White Velvet. 6 to 7 inch pods, white, tender, smooth, plants

ONION—Bunching. Tender, garden variety of young, green onion. Australian Brown. Best keeper, pleasant, mild flavor.

Early California. Large, sweet variety of splendid keeping qualities, excellent for baking and using raw.

Southport White Globe. Fine quality, fairly mild onion, clear

Yellow Bermuda. One of most widely used varieties, early flat onion, light, straw-colored skin, mild white flesh.

Yellow Sweet Spanish. Large, mild, amber, fine keeper. Long Red Italian. Sweet, juicy, used raw in salads and sand-

Sow Onions August to April. Pkt. 15c.

PARSLEY-Extra Triple Curled. Compact, fine for flavoring and garnish.

Hamburg. Thick parsnip-like roots for flavoring.

Plain. Leaves for flavoring.

Sow any time.

PARSNIP-Hollow Crown. Sweet flavor, needs rich soil and plenty of water. Sow August to March.

PEAS-Dwarf; Progress 9. Early, long pods, prolific.

Dwarf Telephone. Later variety, vigorous, long full pods.

Tall! Alderman (Improved Telephone). Medium early, sweet wrinkled peas.

Melting Sugar or Edible Pod. Cook whole pods when peas are half developed, delicious. Sow September to February. Pkt. 15c.

PEPPER-Cailfornia Wonder. Sweet, large fruits, green when young, turning bright red, very productive over long season.

Pimiento. Thick, sweet flesh of splendid flavor, heart-shaped, fine for canning; deep green, turning deep red.

Anaheim Chili. Mildly hot and pungent, popular for drying and canning.

Floral Gem. Small, hot, for sauces and pickling, green, white, and red. Sow peppers in hot beds January to April.

PUMPKIN-Connecticut Field. Very large, for pies, canning, and stock.

New England Pie (Sugar). Earliest and best for pies. Sow March to July.


RADISH-Early Scarlet Globe. Small, sweet, crisp.

French Breakfast. Small, olive-shaped, fine flavor, forcing type. Icicle. Best early white; crisp and mild.


Scarlet Turnip, White Tipped. Handsome rosy carmine, good keeper.

Winter Varieties, Chinese White Winter. Crisp and mild, 8 inches long.

Round Black Spanish. Skin black, flesh white, crisp, pungent, good keeper.
Sow Winter varieties July and August. Others any time.



IMPROVED TELEPHONE PEAS



EGGPLANT, IMPROVED PURPLE

SPINACH-Dark Green Prickly Seeded. Best Winter variety for garden and canning, large crisp leaves.

Viroflay. Best warm weather sort, enormous yield, large, tender.

New Zealand. Vine type; the small, thick, dark green leaves may be gathered repeatedly without pulling the vines. Sow September to March.

SQUASH—Summer:

Early Green Bush Scallop. Popular, small, keeps its light green color longer than other varieties.

Yellow Crookneck. Rich in color and flavor.

Yellow Straightneck. Like Crookneck, but more practical for shipping and paring.

Winter:

Banana. Pinkish orange flesh, sweet, rich flavor.

Hubbard. Best Winter keeper, flesh deep yellow, very smooth and fine grain, matures in early Fall.

Table Queen. Popular home variety, small, acorn shaped, fine

Sow in Spring and Summer.

SWISS CHARD-Large Ribbed Dark Green. Leaves for greens, leaf stalk good asparagus substitute.

Lucullus. Very choice "greens," richly colored, fine ribbed.
Sow January to September, any time in mild climates.

Rhubarb Chard. Looks like small-leaved Rhubarb, delicious cooked, striking in garden and flower arrangements, grows quickly, continues for several months. New. Pkt. 15c.

TOBACCO-White Burley. Pkt. 15c.

TOMATO—Earliana. Very superior in earliness and quality, deep scarlet, firm and smooth.

Marglobe Supreme. Fine all-around variety, large, round. smooth fruit, thrifty, productive, disease resistant plants.

Norton Stone. Deep scarlet, large, flat, but smooth, disease resistant, fine flavor, very productive.

Pan America. New government development, superior in quality, firmness, resistance and productivity, especially adapted to Eastern climate.

Pearson Improved. New, scarlet, medium size, smooth, thick skinned; for canning and shipping; vine compact.

Ponderosa (Beefsteak). Large, mild flavored deep pink.

Rutgers. One of heaviest croppers, fine quality, medium large, splendid for canning and juice.

San Marzano. A scarlet Italian variety, almost cylindrical, very solid, juiceless, used for tomato paste and sauce, bears heavily.

Trip-L-Crop Climbing. New, space-saving tomato, producing quantities of good size, rich red fruit in clusters; vines 10 to 12 feet tall.

Small Soris for Salads and Preserving:

Red Cherry. Small, round, deep red.
Yellow Pear. 2-inch, sweet, pear-shaped fruit, long season.
Ground Cherry or Yellow Husk. Yellow-green in husks, rich sweet flavor, prized for preserves and pies.
Sow January to March in hotbeds, outside in April. Pkts. 15c.

TURNIP—Purple Top White Globe. Fine table variety.
Seven Top. For greens.
Snowball. Sweet, fine-grained white.
Orange Jelly. Best yellow.
Rutabaga, Yellow. Swedish Turnip. Large, mild, sweet.
Sow September to March. Pkt, 10c.

Herbs

For flavor, fragrance, and garden-ornament. Start in flats in the Fall; transplant later on open ground.

Anise. With fragrant, pungent seeds.

Balm. Lemon scented.

Basil. For flavoring from seeds and leaves.

Borage. Adds zest to salads.

Caraway. For seeds on cakes and candies.

Catnip or Catmint. Leaves for seasoning.

Chervil. For salads.

Chives. Listed elsewhere.

Coriander. Seeds used for flavoring in cakes and candies.

Dill. Seeds used as condiment and in pickles.

Fennel. Sweet seeds used in confections.

Lavender. Flowers fragrant fresh or dried.

Marjoram. Leaves and shoots for flavoring.


Rosemary. Leaves for seasoning meats and eggs.

Sage. Leaves for seasoning meats and stuffings. Summer Savory. For seasoning meats and sauces.

Sorrel. For tangy salads.

Thyme. For meat seasoning and medicines.

Pkt 10c



CROOKNECK SQUASH

GARDEN AIDS

PRUNING TOOLS

Seymour Smith Snapcut Pruning Shears—Ladies' Size, \$1.50.

Wiss Snapcut Pruning Shears—Heavy Duty Professional Size, \$2.75.

Corona Draw Cut Pruning Shears—Finest hand forged steel, \$3.95.

Pruning Saw-Well-tempered steel, \$2.95.

Wiss Grass Shears-"Ezy-Cut" spring action, \$2.50.

SPRINKLERS

The Square Sprinkler—"Gets the corners," \$2.75. Spike Sprinkler—For odd corners, 55c.

ACCESSORIES

Hand Cultivator—3 hand-forged prongs adjusted by sliding band from 1 to 3 inches, \$1.49.

Planting Dibble-Brass tipped, smooth curved handle, \$1.45.

Macabee Gopher Trap-Rustproof, very effective, 55c.

Hand Sprayer-All metal, 1 quart capacity, 75c.

Lowell Duster—Compact, all metal, for applying garden dusts to plants, 85c.

Mist Plant Spray—Rubber bulb type for house plants, 40c to \$1.50.

Sudbury Soil Test Kit—Home gardeners' size, 20 tests, \$2.50. Garden club size, 50 tests, \$4.75.

Natural Raffia-Gardeners' favorite for plant tying, 1 lb., 75c.

PLANT FOOD

Plant Chem, for growing with or without soil. Standard formula 100 g

 Standard formula
 100 gal. size, \$1.00 400 gal. size, \$2.00 gal. size, \$2.00 for Shade Plants

 (For Shade Plants Acid Tolerant)
 16 gal. size, 25c for Shade gal. size, \$1.00 gal. size, \$1.00 gal. size, \$1.00 for Shade gal. size, \$1.00 ga

Bet-er Growe Specialized Fertilizers—Camellia Food; Gardenia Food; Azalea and Rhododendron Food; Rose Food.
All above, 2 lbs., 60c; 4 lbs., \$1.00.

ORCHID SUPPLIES

Osmundine Fiber-Ideal for growing Cattleyas, 1 lb., 75c.

Orchid Plant Chem-50c, \$2.00, \$5.00.

Destruxol Orchid Spray—Controls Thrips, Aphis, Mites, Spiders, Orchid Scale, Fungus Gnats, etc., on Orchids, Begonias, Fuchsias, Ferns. 8 oz., \$1.25.

California Liquid Fertilizer—Orchid Formulae. Pt., 65c; gal., \$2.50.

PEST CONTROLS

Destruxol Emulsion Spray—For Scale, Citrocila, San Jose, Brown Apricot, Citrophilus, Golden Mealy Bug, Red Spider, Thrips, Aphis and Hoppers. Pt., \$1.15.

Destruxol Fungusol Spray—Controls Fungus diseases and insect pests. Pt., \$1.25.

Weedicide Spray—Hormone control for Broad Leaf Weeds. 8 oz., \$1.00.

Pyronone D.D.T. and Pyrethrum Spray—For insects, worms, caterpillars, leaf rollers, etc. 4 oz., \$1.00.

Shell D.D. Soil Fumigant—For wireworms, nemetodes, centipedes. 1 pt., \$1.00.

Vaporite Soil Insecticide and Fumigant—For wireworms, grubs, sowbugs, ants, mealy bug, centipedes. 1 lb., 50c.

Bugetta Pellets—Kill snails, slugs, cutworms. 2 lbs., 75c.

Snailex, Non-poisonous—For snails, slugs, etc. $2\frac{1}{2}$ lbs., 60c; 10 lbs., \$1.80.

Corry's Snail and Slug Death—Very effective for snails and slugs; little affected by water. 1 lb., 50c; 10 lbs., \$3.50.

Hayes Products -for Greener Pest-Free Gardens!

GARDEN HOSE SPRAY GUNS

Hayes Jr.

The All-Purpose Spray Gun

Full 3 GALLON capacity sprayer, yet easily held in one hand. Replaces heavy expensive spraying equipment. Just attach the Hayes Jr. to your garden hose, press the lever and SPRAY! Sprays up, down, sideways. For spraying vegetable and flower gardens, trees, etc., with liquid or powder insecticides.



ONLY \$695



Hayes-Ette

Ideal Weed Killer Gun (2-4-D)

1½ GALLON sprayer for small gardens, etc. Ideal sprayer to apply the new 2-4-D weed killer solutions. Weighs only a little over a pound filled. Nozzle adjusts to spray up, down, sideways—with all liquid spray materials free from soap.

***3**45 ONLY

GARDEN SPECIALTY ITEMS

Hayes HAND

Revolutionary Hand Sprayer

1 quart capacity. For home, farm and garden use. Sprays all liquid insecticides and properly strained powders such as Bordeaux, Lime Sulphur and Lead Arsenate. Ideal for applying the new DDT in and around chicken houses, rabbit hutches, and dairy barns.





Hayes Sprinkl-Air

Amazing New AIR-Water Nozzle!



Mixes AIR into the water flowing through garden hose! Magically changes harsh spray into soft, lacy, beneficial RAIN that falls lightly onto newly seeded lawns and gardens. Protects tender seedlings and tiny plants—won't wash away seeds or earth.

Hayes Fertl-Rain

Fertilizer Applicator

Fertilizes while you water—attaches to garden hose and standard liquid fertilizer bottle. Raise thumb to sprinkle clear aerated water for soaking or rinsing—lower thumb over hole to apply fertilizer properly mixed in 1-120 proportion. Ideal for fertilizing lawn, shrubs gardens, or applying lawn moth and fungus control. Built to last a lifetime.





Destruxol Spray

A contact and fumigating spray for aphis, thrips, mealy bug, etc. Does not injure flowers or foliage. Especially Injure flowers or follage. Especially desirable for spraying vegetables, as it leaves no residue. One ounce makes 3 to 5 gallons of spray. 1 oz. 35c, postpaid 40c; 4 oz. \$1.00, postpaid \$1.10.



(Contains Nicotine)

stable oil emulsion containing vege-A stable oil emulsion containing vegetable, mineral and organic oils combined with free Nicotine; controls insect life by suffocation, penetration and by contact; is effective against scale, mealy bug, red spider, etc. 8 oz. 55c, postpaid 60c; 1 qt. \$1.65, postpaid \$1.75; 1 gal. \$3.50, postage extra.

Fungusol Emulsion

A combination of oils, ether, copper and free nicotine; is both an insecticide and fungicide; especially recommended for the control of rust, mildew, aphids, thrip, rot and blight 4 oz. 50c, postpaid 60c; 8 oz. 75c, postpaid 85c; 1 pt. \$1.25, postpaid \$1.10; 1 qt. \$2.00, postpaid \$1.90.

Calsul

Perfectly blended and stable emulsion of lime sulphur and oil. An excellent dormant spray and for general garden cleanup throughout the season. For citrus and deciduous fruit trees. 1 qt. 85c; gal. \$2.10, f.o.b.

Destruxol Sowbug and Cutworm Bait

An effective bait for these pests. Combines the poisoning agent with a natural food, thus enticing them to eat. Scatter bait wherever desired. 8 oz. 30c; 1 lb. 55c; 2½ lbs. \$1.10.

Destruxol Orchid Spray

An emulsion for Orchids and other exotic plants. Controls Thrips, Aphis Mites, Orchid Scale, Fungus Gnats. Fine for Begonias, Fuchsias, and delicate Ferns. Does not spot flowers. 4 oz. bottle 70c, postpaid 80c; 8 oz. \$1.10, postpaid \$1.20; 1 pint \$1.80, postpaid \$1.90.













GROW BULBS FROM SEED

PACKETS 25c EACH

AGAPANTHUS. Blue Lily of the Nile. 6-8 inch mid-blue clusters on 2-3 ft. stems, evergreen foliage, summer bloom.

ALLIUM. Neapolitanum. White flower clusters, 1 ft. tall. March-May bloom.

ANEMONE. De Caen Single Mixed, White, Blue and Red shades. St. Brigid Double and Semi-double Mixed. 1 ft., March bloom.

FREESIA. Rainbow Mixed, 1-2 ft., May to August bloom. White, the old fashioned, extra fragrant.

FRITILLARIA meleagris. Checkered Lily. White, Ye Purple shades Mixed. 2-3 ft., summer bloom, shade. White, Yellow and

GALTONIA candicans. Fragrant, white bells, 2-3 ft., summer bloom, sun.

GLADIOLUS gandavensis. Mixed shades of Red, Yellow, Orange. 3 ft., spring and summer bloom.

IRIS Siberian. White and Blue shades. 3 ft., mid-summer. Dichotoma, Vesper Iris, cream to violet, fragrant, August.

MOREA glaucopis, Butterfly Iris, White with Blue and Yellow markings, 1½-2½ ft., blooms every month in mild climates.

SCILLA Peruviana. Peruvian Lily. Large flat cluster of midblue flowers, 1 ft., April-May bloom.

TIGRIDIA. Mexican Shell Flower. Shades of Red, Yellow, Rose, and Purple, 1-2 ft., summer bloom.

ALL THE ABOVE BULBS GROW READILY FROM SEED PLANT THEM IN THE FALL FOR EARLY BLOOM

LAWN SEEDS For Every Purpose

GOLF BRAND. Velvety, permanent, a mixture of fine bladed grasses for sun or shade. Lb. \$1.10.

SCOTT'S, LAWN MIXTURE. All fine grass mixture for the average lawn. Lb., \$1.45.

SCOTT'S DENSE SHADE MIXTURE. For planting under trees and on the north side of the house. Lb., \$1.45.

DOMESTIC ITALIAN RYE. Makes a quick bright green Winter lawn, but will not stand hot weather. Lb. 20c.

PACEY'S PERENNIAL RYE. Finer bladed more negreened than

lawn, but will not stand hot weather. Lb. 20c.

PACEY'S PERENNIAL RYE. Finer bladed, more permanent than the Domestic Rye. Lb. 40c.

KENTUCKY BLUE GRASS. The most satisfactory basic lawn seed. Finest quality, high test seed for purity and germination. Lb. \$1.35.

WHITE CLOVER. Protects slower germinating Blue Grass; good for reseeding Bermuda lawns in the Fall. Lb. \$1.60.

SEASIDE BENT GRASS. Most popular for golf greens, makes a fine close turf. Lb. \$2.25.

CHEWING FESCUE. Fine-bladed shade grass. Lb. \$1.10. RED TOP. Quick compact "filler" for partial shade, fine bladed. RED TOP. Lb. 95c

Prices subject to change without notice.

VEGETABLES FOR VITAMINS

Garden fresh vegetables contain the richest, surest source of health-giving vitamins. Insure your family's health by growing this assortment of easily grown vegetables.

COLLECTION SPECIAL No. 12 \$1.00 Postpaid Regular Value \$1.35

Pkt. Beets, Early Wonder for vitamins C, G; greens for A, G.
 Pkt. Carrot, Imperator for vitamins A, B, C, G.
 Pkt. Cucumber, Long Green, for vitamins A, B, C.
 Pkt. Lettuce, Los Angeles Market, for vitamins A, B, C, G, E.
 Pkt. Muskmelon, Hale's Best, for vitamin C.
 Pkt. Onion, White Sweet Spanish, for vitamins B, C, G.
 Pkt. Parsley, Champion Moss Curled, for vitamin C.
 Pkt. Squash, Green Bush Scalloped, for vitamins A, B.
 Pkt. Tomato, Pearson, for vitamins A, B, C.
 Pkt. Turnip, Purple Top White Globe, for vitamin C; greens for A, B, C, G.
 Beans, White Kentucky Wonder Pole, special rust-resistant for vitamins A, B, C, G.

for vitamins A, B, C, G.

4-lb. Corn "T" Strain Golden Cross Bantam, for vitamins A, B, C, G.





- THE STANDARD CYCLOPEDIA OF HORTICULTURE, Edited by L. H. Bailey. The universal and invaluable authority on every phase of horticulture. A compact but thorough presentation of the kinds, characteristics, and methods of cultivation of the plants grown in the United States and Canada. New three-volume edition. Being printed. \$35.00.
- YOUR CALIFORNIA GARDEN AND MINE. S. B. Mitchell. For Californians by a Californian. After 30 years of selecting and growing, the author gives advice to home gardeners from Eureka to San Diego. \$3.00.
- **THE AFRICAN VIOLET.** By Helen Van Pelt Wilson. All about America's favorite house plant, history, culture, propagation, pests, diseases, sources, varieties, well illustrated and diagrammed. \$2.75.
- GARDEN FLOWERS IN COLOR. By D. J. Foley. A guide book for the beginner and a reference for the advanced gardener. Over 350 color illustrations of important garden flowers with identification and brief practical cultural directions. Included are plans for typical gardens and a section of soils, fertilizers with sketches of many garden operations. \$2.95.
- **THE CAMELLIA.** Sponsored by the Pacific Coast Camellia Societies, it gives the latest approved culture, variety descriptions and authentic nomenclature. An invaluable handbook. \$1.25.
- **AZALEAS AND CAMELLIAS.** By H. H. Hume. The standard text on the growing of these two interesting groups of plants. Although this book was written primarily for Florida conditions it is applicable to all regions where either of these shrubs are grown. All phases of culture are carefully explained—soils, plantings, care, pests and so on. \$2.00.
- **ORCHIDS ARE EASY TO GROW.** By Logan & Cosper. The latest manual of Orchid culture, practical and beautifully illustrated with color plates, wood cuts, and drawings. Charts and tables give you quickly available information about all the worthwhile Orchid classifications. \$6.00.
- BEGONIAS AND HOW TO GROW THEM. Bessie R. Buxton, honorary Vice-President and Director of the American Begonia Society. Includes all phases of culture of all types of Begonias. Discusses in detail more than 200 varieties. \$2.25.
- PROPAGATION OF PLANTS. By Kains and McQuesten. A complete guide for professional and amateur growers of plants by seeds, layers, grafting and budding, with chapters on nursery and greenhouse management. In direct, simple language it discusses all phases of the subject, explains technical and scientific terms and tells how and why of all processes. \$4.00.

- GARDEN BULBS IN COLOR. By McFarland, Hatton and Foley. An invaluable aid in the preparation of plans for bulb planting. Contains 250 color illustrations and many halftones of many varieties of flowers grown from bulbs, corms and tubers. Cultural directions are also included. \$3.49.
- HOW TO GROW BETTER ROSES. By James Gallagher. At last! A rose book written for the West Coast. The author, well known by Pasadena rose lovers, presents his very successful methods, from suitable varieties and planting to grooming for flower shows. Illustrated and diagrammed. \$1.25.
- **THE BUG BOOK.** By Cynthia Westcott. The Garden Doctor has at last presented a book on the 1000 most serious and common insects that attack our gardens. She tells how to identify and to combat them. A most indispensable book for the home gardener. Practical and accurate in every respect. \$4.95.
- PACIFIC COAST GARDENING GUIDE. By Norvell Gillespie. Tells how to plant a garden that will bloom all year round. Mr. Gillespie was for many years garden editor of the San Francisco Chronicle. Lists of recommended reading, organizations, and sources are useful. \$3.00.
- CHRYSANTHEMUMS—HOW WE GROW THEM OUT OF DOORS. By Members of the Portland Chrysanthemum Society. They tell you all the things you have wanted to know about propagation, care month by month, disbudding, watering, protection of exhibition blooms, Cascades, potting, and varieties. Well illustrated. \$1.50.
- HOW TO PRUNE FRUIT TREES. By R. Sanford Martin. Clearly diagramed, this book tells the how, when, why and where of pruning deciduous, citrus, subtropical fruits and berries. \$1.25.
- HOW TO PRUNE WESTERN SHRUBS. By R. Sanford Martin. A practical, easily followed manual of pruning shrubs to enhance their beauty and usefulness. Fully diagramed. \$1.25.
- **GLADIOLUS.** By F. F. Rockwell. Covers well and concisely the planting and growing of Gladioli. A handbook that will save time and disappointment. \$1.75.
- **SUNSET WESTERN GARDEN BOOK.** Compiled by Sunset Magazine Editors. This very usable book deals with the special advantages and problems of the year round gardens of the Pacific Coast. Illustrated and diagramed. \$2.00.
- IRIS FOR EVERY GARDEN. By Sydney B. Mitchell. For every Iris lover. Dr. Mitchell presents "how to do" drawings for the beginner and world-wide species and types for the specialist, methods of propagation, classifications, color plates, and a "where to buy" guide. \$3.00.

ADVANCED GARDENERS

Test Your Skill With These

Known to be difficult to grow and flower from seed, the following plants will well repay your efforts in fine plants for pot culture.

GLOXINIA hybrida grandiflora. Per. Sinningia.

Light to full shade.


Rich, red, pink, blue, and white, huge velvety flowers best in pots in semi-shade; 1 foot; sow under glass anytime. Sowings made January to April will flower the same summer. Campbell's Giant Mixture. Pkt. 50c.

STRELITZIA. Per. stre-lit'-zia. Sun.

The strikingly beautiful "Bird of Paradise", raises crested, bird-like blooms of rich orange, yellow and gleaming deep blue above thick clumps of large, decorative leaves. The large seeds are slow to germinate, taking from 1 to 6 months. The plants grow 3 to 4 feet tall in large clumps which may be divided to give you many more. Blossoms seldom appear before the fourth year. Seeds are 25c each, 5 for \$1.00.



Campbell's DISTINCTIVE DAHLIAS



DAHLIA, SEPTEMBER

BULBS READY FOR DELIVERY FROM MARCH TO MAY ABBREVIATIONS: L.D., Informal Decorative; F.D., Formal Decorative; S.C., Semi-Cactus.

RED

Ailsa Belle. I.D. Informal, of good size, on extra long stems. The color is raspberry red with a lighter reverse. \$1.00.

Deep Velvet. I.D. Deep rich velvety cardinal. Can be grown over 8 inches but will in most cases be a B dahlia. Long stems and a rugged grower. A real winner. \$1.50.

Mrs. George LeBoutiller. I.D. A rich velvety cardinal red; gigantic in size and outstanding in all respects. A healthy grower. 75c.

Mrs. Hester A. Pape. I.D. A large redish purple with an outstanding show record for the season, winning 3 Achievement Medals, a Certificate of Merit at Fairmount and is on all 3 Honor Rolls. Plants are tall; usual size of blooms 11 to 12 inches, but may be grown to 14 inches. A Dahlia which anyone can grow well. \$2.00.

ORANGE

 $\pmb{\mathsf{Axford}}$ $\pmb{\mathsf{Triumph.}}$ A large Australian variety, with glowing tan blooms on unusually good stems. \$1.00.

September. I.D. Bush 5 feet. Tangerine orange with soft scarlet suffusion, giving it a rather even reddish Autumn tone. Rugged grower coming into bloom medium early. A very satisfactory dahlia. \$1.50.

Col. Little. I.D. 1946 Introduction. A very showy, brilliant scarlet-orange with curly, twisting deeply notched petals showing a lighter reverse. Blooms 10 to 11 inches across with excellent depth. On both Eastern and Western Honor Rolls. \$1.50.

WHITE

Great Lakes. I.D. Bloom 10x4; bush $4\frac{1}{2}$ feet. An easy to grow white with early blooms very lightly tinted lavender at tips. Stems long and stiff. Winner of three Achievement Medals and on three Honor Rolls. \$2.50.

The Real Glory. F.D. A top notch pure white Dahlia. Free bloomer on strong healthy bush. Good keeper. \$1.25.

Jean Kerr. F.D. A medium sized white, unsurpassed as a cut flower of the formal type. Useful for exhibition. Free blooming. 75c.

BICOLORS

Dixie's Wine Dot. A-I.D.-Var. (Hendricks.) A variegated white, splashed with wine color. Blooms can be grown to 12 inches in diameter with corresponding depth. Winner of the American Home Achievement Medal at Chicago.

Lois Walcher. F.D. Magenta purple with some blooms tipped white. The tall plants carry 5-inch blooms on long stiff stems. \$1.00.

PURPLE

Kemp's Purple Triumph. I.D. Is a rich violet purple which can easily be grown up to 12x7 inches. Stems average about 7 inches above top foliage and are stiff and strong, holding the flower facing. Plant is prolific; foliage heavy and thick. \$3.00.

Thomas Edison. F.D. A large handsome royal purple. Flowers of fine substance on strong, graceful stems. \$1.00.

YELLOW

Atomic Yellow. (85A.) S.C. Bloom 11x6; bush 6 feet. Beautiful bright yellow that is really big and opens in water. Blooms held facing on long stems. Certified at West Virginia and won the Silver A.D.S. Award as best S.C. \$2.50.

Clara Hook. Bloom 9x5; bush 6 feet. The color is goldenyellow, lightly suffused with apricot on the outer petals. Winner of Derrill W. Hart Medal. Three Certificates of Merit, two Achievement Medals and on ALL three Honor Rolls. Won a number of blue ribbons. A free bloomer. \$2.50.

Kirsten Flagstad. Outstanding in the garden, producing large fine blooms very early and continuously throughout the season. The color is rich gold suffused lightly with apricot. Plants are tall, with flowers held well above the handsome foliage. \$1.50.

Avalon. F.D. Pure gleaming yellow, large flowers on a good plant. 50c.

D-Day. F.D. A medium sized variety of true pink. A fine florists' flower and an excellent candidate for "best bloom" classes at shows. The flowers are well formed, with very good substance, and the stems are ideal. Plants are tall, open growers and productive. \$1.00.

Five Star General. F.D. A formal decorative blend of 11½ to 13 inches. Amaranth pink, blushing into a tyrian pink, then going into a maize yellow toward the center of the bloom. Sturdy plants growing about 6 feet tall. Excellent foliage. Listed on three Honor Rolls. \$3.00.

Kelvin. I.D. One of the greatest dahlias to come out of Australia. Blooms are large and massive, held facing up on strong stems. The color is buff, heavily suffused carmine rose, giving a general color effect of peach pink. Strong plants with exceptionally coarse, broad foliage. \$2.00.

Ogden Reid. I.D. Our selection for the best contemporary Dahlia. Countless huge blooms of a delightful pink "ashes of roses" blend on the strongest growing plant we have seen. A must for the Dahlia fan. \$1.50.

Sarret's Pink Flamingo. S.C. Outstanding with class at shows. Color is Tyrian Pink, center Empire Yellow and tips Roseline Pink. Blooms are well formed and of good substance on excellent stems. A free producer of flowers up to 11 inches across. \$2.00.


Grace Erlock. I.D. Large growing clear pink blooms of graceful form. A favorite cutting variety. 50c.

LAVENDER

Blue Horizon. I.D. The color is described as French Violet. Flowers large, with good depth. A very free bloomer. One of the best '45 Introductions. \$1.50.


Michigan Orchid. I.D. Bloom 9x5; bush 5½ feet. Pure mauve or mallow rose. Full center blooms of fine form held on perfect stems. Medium early. \$1.50.

Mrs. Carl Salbach. I.D. A large. clear, delicate lavender on good stems. A splendid cut flower and good keeper. 50c.



DAHLIA, ATOMIC YELLOW

KEEP YOUR LAWN Beautiful



PUT A LAWN IN YOUR GARDEN

with **CAMPBELL'S**


Lawn Seed

There is a special grass seed, or a mixture for every use, in sun or shade. With modern foods, weed and pest controls, finer lawns are within reach of everyone at a fraction of former care and cost.

BRING US YOUR PROBLEMS



REGAL LILY
A stately June garden accent, hardiest of lilies. Pkt. 25c.



DAHLIA (Kemp's Purple Triumph)
An impressive Informal Decorative of show quality. Bulbs are ready for planting March to May. For other varieties of Dahlia bulbs see page 38. For Dahlia seed see page 12.

CAMPBELL SEED STORE

Dependable Seeds
137 WEST COLORADO STREET
PASADENA 1, CALIFORNIA

POSTMASTER: Return postage guaranteed.

U. S. DEPARTMENT OF AGRICULTURE
LIBRARY
WASHINGTON 25, D. C.


OFFICIAL BUSINESS
PRINTED MATTER

PAYMENT OF POSTAGE, \$300

O JANESO W.

Library, U.S. Dept. of Agriculture, WASHINGTON 25, D. C.

CHARLOTTE ARMSTRONG




Campbell's Fine Quality ROSES

Plant Bare-root Roses in the Winter for the best results.

You will find "Best for Southern California" varieties in our patio.




SUTTER'S GOLD



TAFFETA



CALIFORNIA CENTENNIAL



SAN GABRIEL